Hawke's Bay Irongate Industrial Area Modelling Report - Phase 2

Prepared by



April 2009

HAWKE'S BAY Irongate Industrial Area Modelling Phase 2



<u>Prepared by</u> Matt Ellery

Transportation Analyst

Eileen Ai

Transportation Analyst

Reviewed by David Hunter

Senior Transport Engineer

Approved by David Hunter

Senior Transport Engineer

Gabites Porter Consultants Ltd

Level 1, 138 Victoria Street

P O BOX 25 103

Christchurch

New Zealand

Telephone: +64 3 366 9871

Facsimile: +64 3 366 9870

Date: 14 April 2009

Reference: 4413

Status: Draft Report

Revision: 3/2a

CONTENTS

1.	INTRODUCTION	1
2.	ROAD NETWORKS	1
3.	INDUSTRIAL LAND USE	4
4.	MODELLING RESULTS	10
Ta	bles	
1. 2.	Irongate Future Development Scenarios Irongate Development Future Landuse Assumptions	9 9
Fiç	gures	
2.	Hawke's Bay Base Road Network Hawke's Bay Future Road Network TRACKS zones distribution for Irongate Phase 1	2 3 5
4. 5. 6.	Areas subject to intensification	6 7 8

1. INTRODUCTION

This report has been commissioned by MWHNZ Ltd on behalf of Hastings District Council and follows the Phase 1 report that showed the baseline traffic flows in the vicinity of the Irongate Industrial area in 2009 and 2016.

This Phase 2 report is an extension of the work completed in the Phase 1 report with modelling undertaken for 2016, 2021 and 2026. It includes base modelling for 2021 and 2026, staged industrial development over all of the modelled years as well as assessment of an additional access road to the Irongate industrial area.

The content of this report includes all changes made to the land use, zone system and road network during the 2009 model validation process. Refer to the Phase 1 report for details of these changes.


2. ROAD NETWORKS


The base road network used in the modelling is shown in **Figure 1** and the future road network with expressway extension is shown in **Figure 2**.

In the base network, Irongate Road is connected to Maraekakaho Road with a priority give way and there is a 4-leg roundabout at the Maraekakaho Road/Longlands Road/Paki Paki Road intersection.

The future road network has two separate options. In the first, the southern expressway extension has no connection to Irongate Road and in the second there is a link road between Irongate Road and York Road. In all options connection of the expressway extension to the Maraekakaho Road/Longlands Road/Paki Paki Road intersection, coloured orange, will be as a 5-leg roundabout. Irongate Road is straightened where it connects to Maraekakaho Road with a double approach give-way.

Should the Maraekakaho Road/York Road intersection fail with high delays at any stage it will be changed from a priority intersection to a roundabout.





3. INDUSTRIAL LAND USE

Industrial land use at Omahu and Tomoana has not been adjusted from previous analyses. Irongate Road industrial area has been based on previous analyses, which assumed 30% site coverage and ¾ of a trip per 100m², over a total area of 107 hectares.

The zone system that was used for Phase 1 of the modelling is shown in **Figure 3** and this has been extended for Phase 2 as shown in **Figure 4**. The base traffic generation attributed to the existing industrial activities are to be retained except for the areas indicated in **Figure 5** which are subject to intensification or to be treated as greenfields, as provided by MWH. These areas shall have the base traffic generation substituted with traffic generation determined in the same manner as the greenfields areas.

Development in the Irongate Industrial Area is to be modelled in stages as per the previous modelling detailed in Hawkes Bay Irongate Industrial Area Modelling Report (Jan 2009).


The Irongate Industrial Area Stage 1 covers an area of 48Ha, Stage 2 an area of 39Ha, and 20Ha of adjoining land subject to further consideration, as shown in **Figure 6**. Intermediate development stages are; Stage 1+ is Stage 1 (pink areas) plus extra adjoining areas (yellow), Stage 2 is Stage 1 (pink) plus extra adjoining areas (yellow) and half of Stage 2 (green), and Stage 2+ has all of the areas included. It has been indicated by MWH that 30% of industrial land will remain vacant, allowing for larger industries to land bank some areas for future growth and ensures that there is adequate land for further development available. As such, the modelling will assume 70% of the land area is occupied.


Irongate has a resulting combined development area of 34 ha for Stage 1, 48 ha for Stage !+, 61 ha for Stage 2 and 74 ha for Stage 2+. The total jobs are derived based on the total area of developed land at each year, as has been used in the previous analyses but also allowing for the existing land use and areas subject to intensification, this means that the number of jobs per hectare does not change and remains constant.

Zones 152, 156, 159, 173,174 and 178 are made up of developments of Stage 1 as well as the areas subject to further consideration. In 2021 and 2026, residual jobs with Stage 2 development are distributed across the Stage 2 zones based on the area available.


Zones 160 and 172 (which are partially made up of Stage 1) and 177 represent the expansion of the Stage 2 development over 2021 and 2026.

All development scenarios run for Phase 2 are shown in **Table 1** below.









Irongate Future Development Scenarios								
Year	Development Stage	Development Area	ent					
2016	1	Pink	152, 159, 160, 172, 17	3, 174				
2010	1+	Pink& yellow	152, 156, 159, 160, 172, 17	3, 174,178				
	1	Pink	152, 159, 160, 172, 17	3, 174				
2021	1+	Pink & yellow	152, 156, 159, 160, 172, 17	3, 174,178				
	2	Pink & yellow & half green	152, 156, 159, 160, 172, 173 178	3, 174, 177,				
	1	Pink	152, 159, 160, 172, 17	3, 174				
	1+ Pink & yellow 152, 156, 15	152, 156, 159, 160, 172, 17	3, 174,178					
2026	2	Pink & yellow & half green	152, 156, 159, 160, 172, 173 178	3, 174, 177,				
	2+	Pink & yellow & green	152, 156, 159, 160, 172, 173 178	3, 174, 177,				

The total developed land area, total jobs and number of jobs by zone for the base and each stage of development are tabulated in **Table 2** below.

Irongate Development Future Landuse Assumptions Table 2											
Landuse		Вс	ıse/Existing Ar	eas	Development Stages						
Variable		2016	2021	2026	Stage 1	Stage 1	+ Stage 2	Stage 2+			
	Base	27	27	27	34	34	48	48			
Land Development	Additional/ Stage 2	0	0	0	0	14	13	27			
(Ha)	TOTAL, Ha	27	27	27	34	48	61	74			
	Zone 152	16	16	16	145	390	390	390			
	Zone 156	7	7	7	7	84	84	84			
	Zone 1 <i>5</i> 9	46	46	46	46	46	46	46			
	Zone 160	115	115	115	115	115	115	115			
lrongate	Zone 172	0	0	0	228	228	417	593			
Industrial Jobs	Zone 1 <i>7</i> 3	120	120	120	120	120	120	120			
	Zone 1 <i>7</i> 4	56	56	56	464	380	380	380			
	Zone 1 <i>77</i>	0	0	0	0	0	189	344			
	Zone 1 <i>7</i> 8	4	4	4	4	127	127	127			
	Irongate , jobs	364	364	364	1129	1490	1868	Stage 2+ 48 27 74 390 84 46 115 593 120 380 344 127 2199			
		20	016	2	021		2026	593 120 380 344 127 2199 Revised			
		'Base'	Revised	'Base'	Revise	ed	'Base'	es 2			
Other Industrial Jobs	Omahu	2332	2332	2579	2579 28		2826	2826			
indosinal sobs	Tomoana	0	0	2490	249	0	4979	4979			
	Total, jobs	2332	2332	5069	506	5069 7805		7805			

4. MODELLING RESULTS

Outputs for traffic volumes, levels of service (LOS) and change in volume to base can be seen in **Appendix 1** through **Appendix 11**.

At no stage did the Maraekakaho Rd/York Rd intersection show unacceptable level of service and therefore was not upgraded to a roundabout for any of the modelling undertaken. However, if this intersection is regarded as important, it is advised to put the modelled turning volumes from TRACKS into Sidra to gain a more accurate assessment of this intersection. While TRACKS is designed to replicate Sidra analysis as closely as possible, there may be some situations where there is an under-reporting of delays.

Appendix 1 contains the 2021 base network (existing Irongate land use only) plots in **Figure 1** through **Figure 9** and the 2026 base network (existing Irongate land use only) plots in **Figure 10** through **Figure 18**.

Appendix 2 contains 2016 Stage 1 Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 3 contains 2016 Stage 1+ Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 4 contains 2021 Stage 1 Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 5 contains 2021 Stage 1+ Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 6 contains 2021 Stage 2 Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 7 contains 2021 Stage 2+ Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 8 contains 2026 Stage 1 Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 9 contains 2026 Stage 1+ Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 10 contains 2026 Stage 2 Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

Appendix 11 contains 2026 Stage 2+ Irongate developments (including existing land use). The base Irongate development plots are in **Figure 1** through **Figure 9** and with link road in **Figure 10** through **Figure 18**.

REFERENCES

The same of the sa	Akcelik	Akcelik,	R.,	Travel	Time	Functions	for	Transportation	Planning
--	---------	----------	-----	--------	------	-----------	-----	----------------	----------

Purposes. Australian Road Research, 21(3), September 1991.

Akcelik Akcelik, R., The Highway Capacity Manual Formula for Signalised

Intersections. ITE Journal, March 1988, Vol. 58, No. 3.

Fisk, C.S., Link Travel Time Functions for Traffic Assignment.

Department of Civil Engineering, University of Auckland.

Fisk, C.S., and Tan H.H., Delay Analysis for Priority Intersections.

Department of Civil Engineering, University of Auckland, 1989.

Gabites Porter Performance Analysis of Priority Intersections - A Practitioner's

Guide, September 1991

Gabites Porter Hawkes Bay Irongate Industrial Area Modelling Report, January

2009

Gabites Porter Hawkes Bay Irongate Industrial Area Modelling Report – Phase 1,

March 2009

Land Transport NZ Project Evaluation Manual, October 2005.





APPENDIX 1


2021 and 2026 Base Model:


 Old 2021 and 2026 Base plus Existing Irongate LU and Expressway Extension


1.	2021	AM Peak Base Trattic Volumes	1
2.	2021	SH Peak Base Traffic Volumes	2
3.	2021	PM Peak Base Traffic Volumes	3
4.	2021	AM Peak Base Change in Traffic Volumes	4
5.	2021	SH Peak Base Change in Traffic Volumes	5
6.	2021	PM Peak Base Change in Traffic Volumes	6
7.	2021	AM Peak Base Level of Service	7
8.	2021	SH Peak Base Level of Service	8
9.	2021	PM Peak Base Level of Service	9
10.	. 2026	S AM Peak Base Traffic Volumes	10
11.	. 2026	SSH Peak Base Traffic Volumes	11
12	. 2026	SPM Peak Base Traffic Volumes	12
13.	. 2026	S AM Peak Base Change in Traffic Volumes	13
14.	. 2026	SSH Peak Base Change in Traffic Volumes	14
15.	. 2026	SPM Peak Base Change in Traffic Volumes	15
16.	. 2026	S AM Peak Base Level of Service	16
17.	. 2026	SSH Peak Base Level of Service	17
18.	. 2016	5 PM Peak Base Level of Service	18




















































APPENDIX 2


2016 Stage 1:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2016 AM Peak Irongate Stage 1 Development Traffic Volumes	1
2.	2016 SH Peak Irongate Stage 1 Development Traffic Volumes	2
3.	2016 PM Peak Irongate Stage 1 Development Traffic Volumes	3
4.	2016 AM Peak Irongate Stage 1 Development Change in Traffic Volumes to	
	2016 Base	4
5.	2016 SH Peak Irongate Stage 1 Development Change in Traffic Volumes to 201	6
	Base	5
6.	2016 PM Peak Irongate Stage 1 Development Change in Traffic Volumes to	
	2016 Base	6
7.	2016 AM Peak Irongate Stage 1 Development Level of Service	7
8.	2016 SH Peak Irongate Stage 1 Development Level of Service	8
9.	2016 SH Peak Irongate Stage 1 Development Level of Service	9
10.	2016 AM Peak Irongate with Link Road Stage 1 Development Traffic Volumes	10
11.	2016 SH Peak Irongate with Link Road Stage 1 Development Traffic Volumes	11
12.	2016 PM Peak Irongate with Link Road Stage 1 Development Traffic Volumes	2
13.	2016 AM Peak Irongate with Link Road Stage 1 Development Change in Traffic	;
	Volumes to 2016 Base	13
14.	2016 SH Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2016 Base	l 4
15.	2016 PM Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2016 Base	15
16.	2016 AM Peak Irongate with Link Road Stage 1 Development Level of Service	16
17.	2016 SH Peak Irongate with Link Road Stage 1 Development Level of Service	17
18.	2016 PM Peak Irongate with Link Road Stage 1 Development Level of Service 1	8




















































APPENDIX 3


2016 Stage 1+:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2016 AM Peak Irongate Stage 1+ Development Traffic Volumes	1
	2016 SH Peak Irongate Stage 1+ Development Traffic Volumes	2
3.	2016 PM Peak Irongate Stage 1+ Development Traffic Volumes	3
4.	2016 AM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2016 Base	4
5.	2016 SH Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2016 Base	5
6.	2016 PM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2016 Base	6
	2016 AM Peak Irongate Stage 1+ Development Level of Service	7
	2016 SH Peak Irongate Stage 1+ Development Level of Service	8
	2016 PM Peak Irongate Stage 1+ Development Level of Service	9
	2016 AM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
	2016 SH Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
	2016 PM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
13.	2016 AM Peak Irongate with Link Road Stage 1+ Development Change in Traff	
		13
14.	2016 SH Peak Irongate with Link Road Stage 1+ Development Change in Traffic	
		14
15.	2016 PM Peak Irongate with Link Road Stage 1+ Development Change in Traffi	
1 /		15
16.	2016 AM Peak Irongate with Link Road Stage 1+ Development Level of Service	
17		16
	2016 SH Peak Irongate with Link Road Stage 1+ Development Level of Service 2016 PM Peak Irongate with Link Road Stage 1+ Development Level of Service	
10.		18




















































APPENDIX 4


2021 Stage 1:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2021 AM Peak Irongate Stage 1 Development Traffic Volumes	1
2.	2021 SH Peak Irongate Stage 1 Development Traffic Volumes	2
3.	2021 PM Peak Irongate Stage 1 Development Traffic Volumes	3
4.	2021 AM Peak Irongate Stage 1 Development Change in Traffic Volumes to 2021	
	Base	4
5.	2021 SH Peak Irongate Stage 1 Development Change in Traffic Volumes to 2021	
	Base	5
6.	2021 PM Peak Irongate Stage 1 Development Change in Traffic Volumes to 2021	
	Base	6
	2021 AM Peak Irongate Stage 1 Development Level of Service	7
8.	2021 SH Peak Irongate Stage 1 Development Level of Service	8
	2021 PM Peak Irongate Stage 1 Development Level of Service	9
	2021 AM Peak Irongate with Link Road Stage 1 Development Traffic Volumes	10
	2021 SH Peak Irongate with Link Road Stage 1 Development Traffic Volumes	11
	2021 PM Peak Irongate with Link Road Stage 1 Development Traffic Volumes	12
13.	2021 AM Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2021 Base	13
14.	2021 SH Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2021 Base	14
15.	2021 PM Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2021 Base	15
	2021 AM Peak Irongate with Link Road Stage 1 Development Level of Service	16
	2021 SH Peak Irongate with Link Road Stage 1 Development Level of Service	17
18.	2021 PM Peak Irongate with Link Road Stage 1 Development Level of Service	18




















































APPENDIX 5


2021 Stage 1+:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2021 AM Peak Irongate Stage 1+ Development Traffic Volumes	1
	· · · · · · · · · · · · · · · · · · ·	2
3.	2021 PM Peak Irongate Stage 1+ Development Traffic Volumes	3
4.	2021 AM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2021 Base	4
5.	2021 SH Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2021 Base	5
6.	2021 PM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2021 Base	6
	2021 AM Peak Irongate Stage 1+ Development Level of Service	7
	2021 SH Peak Irongate Stage 1+ Development Level of Service	8
	2021 PM Peak Irongate Stage 1+ Development Level of Service	9
	. 2021 AM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
	. 2021 SH Peak Irongate with Link Road Stage 1+ Development Traffic Volumes 1	
	. 2021 PM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
13.	. 2021 AM Peak Irongate with Link Road Stage 1+ Development Change in Traff	
1 4		13
14.	. 2021 SH Peak Irongate with Link Road Stage 1+ Development Change in Traffic	
1.5		14
13.	. 2021 PM Peak Irongate with Link Road Stage 1+ Development Change in Traffi	с 15
16		
10.	. 2021 AM Peak Irongate with Link Road Stage 1+ Development Level of Service	16
17	. 2021 SH Peak Irongate with Link Road Stage 1+ Development Level of Service	
	. 2021 PM Peak Irongate with Link Road Stage 1+ Development Level of Service	
10.		1 8



















































APPENDIX 6


2021 Stage 2:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2021 AM Peak Irongate Stage 2 Development Traffic Volumes	1
2.	2021 SH Peak Irongate Stage 2 Development Traffic Volumes	2
3.	2021 PM Peak Irongate Stage 2 Development Traffic Volumes	3
4.	2021 AM Peak Irongate Stage 2 Development Change in Traffic Volumes to 2021	
	Base	4
5.	2021 SH Peak Irongate Stage 2 Development Change in Traffic Volumes to 2021	
	Base	5
6.	2021 PM Peak Irongate Stage 2 Development Change in Traffic Volumes to 2021	
	Base	6
7.	2021 AM Peak Irongate Stage 2 Development Level of Service	7
8.	2021 SH Peak Irongate Stage 2 Development Level of Service	8
9.	2021 PM Peak Irongate Stage 2 Development Level of Service	9
10.	2021 AM Peak Irongate with Link Road Stage 2 Development Traffic Volumes	10
11.	2021 SH Peak Irongate with Link Road Stage 2 Development Traffic Volumes	11
12.	2021 PMPeak Irongate with Link Road Stage 2 Development Traffic Volumes	12
13.	2021 AM Peak Irongate with Link Road Stage 2 Development Change in Traffic	
	Volumes to 2021 Base	13
14.	2021 SH Peak Irongate with Link Road Stage 2 Development Change in Traffic	
	Volumes to 2021 Base	14
15.	2021 PM Peak Irongate with Link Road Stage 2 Development Change in Traffic	
	Volumes to 2021 Base	15
16.	2021 AM Peak Irongate with Link Road Stage 2 Development Level of Service	16
17.	2021 SH Peak Irongate with Link Road Stage 2 Development Level of Service	17
18.	2021 PM Peak Irongate with Link Road Stage 2 Development Level of Service	18




















































APPENDIX 7


2021 Stage 2+:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2021	AM Peak Irongate Stage 2+ Development Traffic Volumes	1
2.		· · · · · · · · · · · · · · · · · · ·	2
3.		· · · · · · · · · · · · · · · · · · ·	3
4.	2021	AM Peak Irongate Stage 2+ Development Change in Traffic Volumes to	
	2021	Base	4
5.	2021	SH Peak Irongate Stage 2+ Development Change in Traffic Volumes to	
	2021	Base	5
6.	2021	PM Peak Irongate Stage 2+ Development Change in Traffic Volumes to	
			6
			7
			8
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9
		AM Peak Irongate with Link Road Stage 2+ Development Traffic Volumes 1	
		SH Peak Irongate with Link Road Stage 2+ Development Traffic Volumes 1	
		PM Peak Irongate with Link Road Stage 2+ Development Traffic Volumes 1	
13.		AM Peak Irongate with Link Road Stage 2+ Development Change in Traffic	
1 4			3
14.		SH Peak Irongate with Link Road Stage 2+ Development Change in Traffic mes to 2021 Base	4
15		rnes to 2021 base PM Peak Irongate with Link Road Stage 2+ Development Change in Traffic	
13.			- 5
16		AM Peak Irongate with Link Road Stage 2+ Development Level of Service	J
10.	2021		6
17	2021	SH Peak Irongate with Link Road Stage 2+ Development Level of Service 1	-
		PM Peak Irongate with Link Road Stage 2+ Development Level of Service	,
			8




















































APPENDIX 8


2026 Stage 1:


- With Irongate development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2026 AM Peak Irongate Stage 1 Development Traffic Volumes	1
2.	2026 SH Peak Irongate Stage 1 Development Traffic Volumes	2
3.	2026 PM Peak Irongate Stage 1 Development Traffic Volumes	3
4.	2026 AM Peak Irongate Stage 1 Development Change in Traffic Volumes to 2026	
	Base	4
5.	2026 SH Peak Irongate Stage 1 Development Change in Traffic Volumes to 2026	
	Base	5
6.	2026 PM Peak Irongate Stage 1 Development Change in Traffic Volumes to 2026	
	Base	6
7.	2026 AM Peak Irongate Stage 1 Development Level of Service	7
8.	2026 SH Peak Irongate Stage 1 Development Level of Service	8
9.	2026 PM Peak Irongate Stage 1 Development Level of Service	9
10.	2026 AM Peak Irongate with Link Road Stage 1 Development Traffic Volumes	10
11.	2026 SH Peak Irongate with Link Road Stage 1 Development Traffic Volumes	11
12.	2026 PM Peak EX Irongate with Link Road Stage 1 Development Traffic Volumes	12
13.	2026 AM Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2026 Base	13
14.	2026 SH Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2026 Base	14
15.	2026 PM Peak Irongate with Link Road Stage 1 Development Change in Traffic	
	Volumes to 2026 Base	15
	2026 AM Peak Irongate with Link Road Stage 1 Development Level of Service	16
	2026 SH Peak Irongate with Link Road Stage 1 Development Level of Service	17
18.	2026 PM Peak Irongate with Link Road Stage 1 Development Level of Service	18




















































APPENDIX 9


2026 Stage 1+:


- With Irongate
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2026 AM Peak Irongate Stage 1+ Development Traffic Volumes	1
2.	2026 SH Peak Irongate Stage 1+ Development Traffic Volumes	2
3.	2026 PM Peak Irongate Stage 1+ Development Traffic Volumes	3
4.	2026 AM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2026 Base	4
5.	2026 SH Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2026 Base	5
6.	2026 PM Peak Irongate Stage 1+ Development Change in Traffic Volumes to	
	2026 Base	6
	2026 AM Peak Irongate Stage 1+ Development Level of Service	7
	2026 SH Peak Irongate Stage 1+ Development Level of Service	8
	2026 PM Peak Irongate Stage 1+ Development Level of Service	9
	2026 AM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
	2026 SH Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
	2026 PM Peak Irongate with Link Road Stage 1+ Development Traffic Volumes	
13.	2026 AM Peak Irongate with Link Road Stage 1+ Development Change in Traff	
1 1		13
14.	2026 SH Peak Irongate with Link Road Stage 1+ Development Change in Traffic Volumes to 2026 Base	: 14
15	2026 PM Peak Irongate with Link Road Stage 1+ Development Change in Traffi	
15.		ر 15
16	2026 AM Peak Irongate with Link Road Stage 1+ Development Level of Service	
10.	-	16
17	2026 SH Peak Irongate with Link Road Stage 1+ Development Level of Service	
	2026 PM Peak Irongate with Link Road Stage 1+ Development Level of Service	
		1 ໘




















































APPENDIX 10


2026 Stage 2:


- With Irongate Development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1.	2026 AM Peak Irongate Stage 2 Development Traffic Volumes	1
2.	2026 SH Peak Irongate Stage 2 Development Traffic Volumes	2
3.	2026 PM Peak Irongate Stage 2 Development Traffic Volumes	3
4.	2026 AM Peak Irongate Stage 2 Development Change in Traffic Volumes to	
	2026 Base	4
5.	2026 SH Peak Irongate Stage 2 Development Change in Traffic Volumes to 202	26
	Base	5
6.	2026 PM Peak Irongate Stage 2 Development Change in Traffic Volumes to	
	2026 Base	6
7.	2026 AM Peak Irongate Stage 2 Development Level of Service	7
8.	2026 SH Peak Irongate Stage 2 Development Level of Service	8
9.	2026 PM Peak Irongate Stage 2 Development Level of Service	9
10.	2026 AM Peak Irongate with Link Road Stage 2 Development Traffic Volumes	10
11.	2026 SH Peak Irongate with Link Road Stage 2 Development Traffic Volumes	11
		12
13.	2026 AM Peak Irongate with Link Road Stage 2 Development Change in Traffic	
		13
14.	2026 SH Peak Irongate with Link Road Stage 2 Development Change in Traffic	
		14
15.	2026 PM Peak Irongate with Link Road Stage 2 Development Change in Traffic	
	, element 16 2526 Ballo	15
	2026 AM Peak Irongate with Link Road Stage 2 Development Level of Service	
		17
18.	2026 PM Peak Irongate with Link Road Stage 2 Development Level of Service	18



















































APPENDIX 11


2026 Stage 2+:


- With Irongate Development
- With Irongate + York Rd Link with Irongate Rd
- With Irongate + Left turn off expressway into Irongate Rd


1. 2026 AM Peak Irongate Stage 2+ Development Traffic Volumes	1
2. 2026 SH Peak Irongate Stage 2+ Development Traffic Volumes	2
3. 2026 PM Peak Irongate Stage 2+ Development Traffic Volumes	3
4. 2026 AM Peak Irongate Stage 2+ Development Change in Traffic Volumes	to
2026 Base	4
2026 SH Peak Irongate Stage 2+ Development Change in Traffic Volumes t	0
2026 Base	5
6. 2026 PM Peak Irongate Stage 2+ Development Change in Traffic Volumes	to
2026 Base	6
7. 2026 AM Peak Irongate Stage 2+ Development Level of Service	7
8. 2026 SH Peak Irongate Stage 2+ Development Level of Service	8
9. 2026 PM Peak Irongate Stage 2+ Development Level of Service	9
10. 2026 AM Peak Irongate with Link Road Stage 2+ Development Traffic Volur	
11. 2026 SH Peak Irongate with Link Road Stage 2+ Development Traffic Volum	
12. 2026 PM Peak Irongate with Link Road Stage 2+ Development Traffic Volun	
13. 2026 AM Peak Irongate with Link Road Stage 2+ Development Change in 1	
Volumes to 2026 Base	13
14. 2026 SH Peak Irongate with Link Road Stage 2+ Development Change in Tr	
Volumes to 2026 Base	14
15. 2026 PM Peak Irongate with Link Road Stage 2+ Development Change in T	
Volumes to 2026 Base	15
$16.\ 2026$ AM Peak Irongate with Link Road Stage 2+ Development Level of Ser	710e 16
17, 2024 SH Book kongato with Link Bood, Stago 21, Dovolonment, Lovel of Sovi	
17. 2026 SH Peak Irongate with Link Road Stage 2+ Development Level of Servi 18 . 2026 PM Peak Irongate with Link Road Stage 2+ Development Level of Serv	
16. 2020 FM FEAR HONGAIE WITH LINK ROUG STUGE Z' DEVELOPTHEM LEVELOTSEN	12

















































	Road	Datemor	Direction	morsection	location.	Paterstop	Ne Coek	E	100		More	Vish & Den	Causes	Chiott	ě	Mont	785	Washier	Aution	Control	Manage	Speed Line	Fatel	ENVOES	- Angel	Podelimm	Cyclist Emsing.	(Carpon)
	PONGATE ROAD	150	N		MARAEKAKAHO ROAC	2456364	12/08/2004	Wed	1930	DA	No. of	CE1	103A 111A	Æ	м	b	TN	F	3	и	M	100	0	0	0		2836359	616626
ž	IRONGATE ROAD	110	W		MARAEKAKAHO ROAD	2556313	20/12/2005	Tun	1657	DA	(STOWN)	CE1	111A 402A	s	М	D	0	F		N	C	100	0	0	0		2836368	616622
ź	IRONGATE ROAD	200	W		MARAEKAKAHO ROAC	2851007	3/01/2008	Sat	1338	LB	7	CNST	3038 3758 831 929		M	D	0	L	0	N	C:	100	0	0	0		2836347	616631
ě.	IRONGATE ROAD	220	N		SH 50A	2411745	4/10/2004	Sat	1745	DA	(GOOD)	CET	134A	I F	M	D	TN	F	1	N.	c	100	0	0	91		2836340	616633
5	IRONGATE ROAD	230	N		SH 50A	2413520	26/12/2004	Sun	2124	BC	0	CW1V	111A 121A 402A		м	D	DN	E		N	c	100	0	1	3		2836332	616633
e.	IRONGATE ROAD			4	STOCK ROAD	2656649	21/12/2006	Thu	2300	DB	Count	CS2	101A 131A		À	D	DN	F	X	N	N	100	0	0	0		2835292	616703
ž	MARAEKAKAHO R	60	и		SH 50A	2813333	28/10/2008	Ton	1700	MC	**.	CS1C	3726 921	· #	A	D	В	F	D	N	L	70	0	0	4		2837325	916661
8	STOCK ROAD	150	N		IRONGATE ROAD	2712311	26/05/2007	Sat	448	CB	188m	CS1	104A 351A		R	D	DN	F	B	N	С	100	ō	2	0		2835342	616717
	STOCK ROAD	25	S		IRONGATE ROAD	2555875	29/10/2005	Sat	2111	DB	Stage!	CN1	131A 631A	V	E	D	DN	F.		N	c	100	0	0	0		2835283	616700
0	STOCK ROAD	250	S		IBONGATE BOAD	2456525	20/12/2004	Mon	1130	DA.	(Spark)	TS1	AS89		м	D	0	F		N	c	100	0	0	4		2835193	616680
ń	STOCK ROAD	260	S		IRONGATE ROAD	2412992	10/08/2004	Fil	515	DA	Course.	CS1	111A 135A 517 844	1.0	Ė	W	0	Ĺ		10	С	100	0	0	1		2835165	616679
2	STOCK ROAD	300	8		IRONGATE ROAD	2751981	14/54/2007	Sat	2240	DA	Spark.	CS1C	111A 514A	MT	M	0	DN	F	118	N	c	100	0	٥	0		2835156	616672
à	STOCK ROAD	300	s		IRONGATE ROAD	2850119	1/12/2006	Sat	1216	DA	(Spring)	CN1	111A 134A		M	0	В	F	15	N	C	100	0	0	0		2835156	616677
à	STOCK FIGAD	310	S		IRONGATE ROAD	2552906	21/05/2005	Sat	2150	DA.	(SELIES)	CS1	131A 355A	sv	M	D	DN	F.		N	C	100	0	D	6	П	2835149	616676
1	STOCK ROAD			1	IRONGATE ROAD	2452230	5/12/2004	Wed	1750	CA	7000	CS1	112A 135A 812	V	n	D	DN.	H	×	N	c	100	ò	0	0		2835292	616703
Á	STOCK ROAD			4	IRONGATE ROAD	2411824	18/04/2004	Sun	1000	HA.	-	VN1C	321B 643		R	0	8	F	х	8	c	100	0	0	2		2835292	616703
V.	STOCK ROAD			4	IRONGATE ROAD	2711462	23/02/2007	FH	745	LB	1	CNIC	144B 303B		R	0	в	F	X	N	c	100	0	0	1		2835292	616703
В	STOCK ROAD			1	IRONGATE ROAD	2651685	26/04/2006	Wed	1907	C8	3000	CS14	129A 353A 662		R	D	DN	E	x	G	Ċ	100	0	0	0		2835292	616703
ġ.	STOCK ROAD			4	IRONGATE ROAD	2850101	18/01/2008	Fri	1645	JA	-	CS1C	3218		R	D	0	F	x	s	C	100	0	0	0		2835292	616703
101	Z DWAY 47 YORK	480	N		SH SOA/MARAEKAKAH	2655040	18/10/2006	Wed	1338	CA	1000	CNI	110A 138A	T	B	D	8	F		N	N	100	0	0	0	П	2836975	616715
ñ	HEATHCOTE ROAD		2.4	1	50A//0	2550111	14/01/2005	Fri	1428	DA	(George)	CN1	101A 111A	V	R	0	В	F	T	N	C	100	0	C	0		2836777	616640
2	FLAXMERE AVENU	E		1	50A/0/9,257	2711701	25/03/2007	Sun	1555	08	Count	MET	135A 330A 804	D	E	D	В	F	R.	G	В	100	0				2836201	616796
2	50A/0/9.257			1	FLAXMERE AVENUE	2753947	13/07/2007	Fri	200	DB	Capt	CE2	111A	FK	M	W	00	L	R	G	R	100	0	0	6	П	2836201	616796
14	50A/0/9.3			1	FLAXMERE AVENUE	2855633	25/08/2008	Mor	710	DC	- APP. C.	C\$1V	110A 135A 801	1	M	W	0	H	R	G	B	50	0	0	6		2836254	616794
19	5QA/0/9.3			1	FLAXMERE AVENUE	2558119	14/12/2005	Wed	907	KA	4	V510	302A 514A		M	W	0	L	R	G	R	100	0	0	0		2836244	616791
26.	50A/0/9.392			1	FLAXMERE AVENUE	2850784	2/03/2006	Fri	1734	FB		VN1C	353A 423A		R	0	В	F	R.	G	R	100	0	0	0		2636247	616791
2	50A/0/9.392			1	FLAXMERE AVENUE	2856345	12/03/2008	Wed	750	FB.		CNIC	331A		E	o	В	F	R.	G	R	100	0	0	0		2835247	616791
218	500/0/9 442	50	E		FLAXMERE AVENUE	2552896	19/06/2005	Sun	200	AF	.2003	CW1	132A	F	R	W	00	L.		N	C	100	0	0	0		2836276	616788
19	50A/0/9,462	70	8	Π,	FLAXMERE AVENUE	2512080	23/05/2006	Tues	1820	8F	S.	CN1C	123A 359A 197B	12	E	w	DO	L	16	14	L	100	0		3		2636291	616786
10	50A/0/9 492	100	E		FLAXMERE AVENUE	2552697	13/05/2005	Fo	310	CC	***	VSI	137A		R	D	DO	ŧ.	- 1	N	C	100	0	0	0		2838312	816784

	Fleod	Datemon	Olmefical	delicare 2006	Location	Ratemento	980	Day	all I			Weh & Dien	Ce.com	Object	Carres	Wei	High	Westher	Count	Markings	Speed Liver	Famil	Seecos	Mine	Pedestine	Canteg	Months
31	50A/0/9.959	110	E		YORK BOAD N	7412622	29/08/2004	Sun	1522	AĐ	ounds.	CNT	132A	4	В	w	0		13/4	ı c	100				4	70400001200	
51	50A/0/10.057	890	N	Ħ	MARAEKAKAHO ROAE			Sat	36	00	Willer.	CS1	100A 101A 130A	v	R	D			-					2	-4-	2836674	-
531	50A/0/10.087	860	N		MARAEKAKAHO ROAE	2650245	1201-120-200	2010	420	CC	-	CN1	103A 190A 410A	p	R	w	DN		300	C	100		0	1		2836732	Contract with
ä,	S0A/0/10.147	806	N	Н	MARAEKAKAHO ROAE	22471056	30/09/2004	2.400	1608	AD	-	CEIC	132A 159A 434B	FI		D	DO B	F	- 6			100	0	0		2836750	
	50A/0/10.347	600	14		MARAEKAKAHO ROAD	200	The section of the	O Z M TP	1130	10,000	.)	VNIV	181A 333A 929	F.1	B	D	-						0	0		2836788	
34	50A/0/10.477	470	N	Н	MARAEKAKAHO ROAD			Wed	1215	GA	-,	CSIC	132A 181A 929	7	R	0		-01 E.					0	0		2836905	
37	50A/0/10.567	380	S	1	MARAEKAKAHO ROAD	2611270		Fil	1820	CC.	-	GNI	130A 410A	FV		0		E			100		0	0	-1-	2836982	Section 1
36	50A/0/10.647	300	w	т	MARAEKAKAHO	2654737	22/09/2006		1641	FA	mb	CW1C	103A 159A				Th. C. C.	E I			100	100	0	1	4	2837035	his service
30	50A/0/10.647	300	w	Н	MARAEKAKANO ROAC	Mark Sale	(2) A. J. C. S. Kel B.	1.4554	1725	3.44.	m)	CE1CCC	331A 410A	-	R	0			-		100	100	0	0	-	2837083	27 page 1
40	50A/0/10.654	200	N	Н	MARAEKAKAHO ROAC		A.90_100.000 F.90		1010	DB.		CSI		-1-		0	100	F	h		100		1257	0	-	2837083	
41	50A/0/10/687	260	S	-	MARAEKAKAHO HOAC	1-0/111-11-55	211232333111	1000	1110	-			102A 132A		E	0		E	1		100	115	0	0	-	2837142	618690
42	50A/0/10.797	150	N	Н	MARAEKAKAHO ROAE		4/01/2004	1.00.000		-	227 (237 11)	CS1C	331A 356A 921	74.4.7	R	0	1000		0 1		100	0	0	1		2837107	616698
41	YORK ROAD	150	w	-	50A/0/10.797	400000000			1020			TSIC	129A 386A 839	М		0	В	9	. N	C	100	0	0	0	-	2837172	616689
44	YORK FIOAD	100	N		and the same of th	2511161			2220	CC	3880	CET	410A	٧	R.	D	DO	E	N	C	100	0	0	1		2837172	616565
Z		100			50A/0/10.847	2651925		Thu		EC	∆-	CS1	370A 912	·w	. Fl	W	DN I	W.	N	0	100	0	0	e.		2837202	616585
28	50A/0/10.854		-	I A	MARAEKAKAHO HOAC	34.43	2/01/2004		2130	JA	-	C81C	3026		A.	W	DO	L /	T G	C	70	0	C	0		2837261	616677
7	50A/0/10.687	60	N	Н	MARAEKAKAHO ROAC			Wed	800	FD	-	CS14	181A 402A		A.	D	0	F.		C	100	0	0	0		2837225	616681
47	50A/0/10.897	50	W		MARAEKAKAHO ROAD		22/09/2005		757	AD:		CW1CO	131A 197A 3726 6719		Ħ.	D	8	F.	N	0	70	0	0	0		2837231	616681
48	MARAEKAKAHO	ROAD			YORK ROAD	2650527		Tue	1317	KB	7	CSIT	3028 375B		R	D	8	F (T G	0	70	0	0	0		2837261	616677
49	50A/0/10.947			.)	MARAEKAKAHO ROAD		14/06/2007	This	1520	JA	-5)	CN20	3778 302		н	W	0	L.	7 0	0	70	.0	0	0		2837261	616677
90	50A/0/10.947		_	χ	MARAEKAKAHO ROAC	2751868	13/04/2007	:En:	1850	FB	1	XE1C	181A		B	D	DO		0	R	70	.0	0	0		2837261	616677
92.	50A/0/10.947		Ц.	.1	MARAEKAKAHO ROAE	2563028	24/06/2005	Fil	827	FB		C32V	331A 927		B	W	OF	F	G	C	70	0	0	0	-	2837261	618677
52	50A/0/10.947			1	MARAEKAKAHO ROAE	2711260	15/01/2007	Mon	918	GA	-	C81C	353A 387A		B	D	В	F	r G	R	70	0	0	1		2837261	616677
53	50A/0/10.947			1	MARAEKAKAHO BOAC	2711224	2'03/2007	Sat	2310	FB.		CE1C	112A		я	W	DO	Ę ?	G	R	100	0	0	1	-	2837261	616677
H	50A/0/10.947			1	MARAEKAKAHO ROAE	2612065	8/09/2006	£6	755	LB	-	CNIC	3038 3878		R	D	В	F	G	R	70	0	0	3	-	2837261	616677
95	50A/0/10.947			1	MARAEKAKAHO ROAC	2651535	4/09/2006	Sun	1206	ĹĦ	-	CNIC	145A 173A 303B		R	b	В		r G	A	70	0	0	0	#	2837261	616677
55	50A/0/10,947			1	YORK ROAD	2811193	2/05/2008	Tue	1705	JA	ر <u>ب</u>	CN1C	302B 375B		R	D	0		G	C	70	0	0	1	#	2637261	618677
57	50A/0/10.047			3.	YORK ROAD S	2652767	4/12/2006	Wed	400	DC	=	TE1		F	R	w	DO		r o	C	100	0	0	0	77	2837261	
58	50A/0/10,947			.1	YORK ROAD S	2553122	30/06/2005	Thu	1720	LB	1	4N1C	103A 303B 353B 377B		В	D	TO		r d	ρ	50	0	0	o		1000	616677
99	50A/0/10.947)	YORK ROAD	2511742	22/04/2005	Fit	1715	í.B	~	CN1V	145A 303B		B	D	TF		, G	C	100	0	0	1	-	C144 C153	615677
ea	50A/0/10.947)	YORK ROAD	2851409	14/04/2008	Mon	1833	LB	1	CN1C	3038 3758		B	w	DO		r d	G	70	0	0	0		Andrew Street	616677
N3.	50A/0/10.947			1	MARAEKAKAHO ROAC	2412202	20/06/2004	Sun	2100	DC.	=	CEI	103A 112A 132A	6	R		DO /		1112	Tivo	50	0	0	1	-17	C-000011-1	615677
62	56A/0/10.847			.)	MARAEKAKAHO ROAC	2751853	23/04/2007	Mon	1445	FB		CE1C	113A 331A	- 2	R	D	В		4	11777	70	0	0	0		10.000	616677
63	50A/0/10.847			1	MARAEKAKAHO ROAL	2613599	27/12/2006	Wed	932	LB	~	CNIC	3038 3878		R	D	0	Alba	G	197	100	44	-	2		2017/00/20	616677
54	50A/0/10:047			3:	MARAEKAKAHO ROAD	2411563	4/01/2004	Thw	1820	LB	2	CNIC	303B 370B		R		TO I		715	Time	70	C	0	2	-	- marine	nineed (no
65	50A/0/10:947				MARAEKAKAHO ROAD		7/07/2005	Thu	100000000000000000000000000000000000000	LB	7	CN1C	3028 3538 3778	-	R	D	0	+	++	+	70	a	0	-	-		616677
	50A/0/10.947				MARAEKAKAHO ROAC					GA	_	CE1C			2	-	-		4	1	10	1 4	Ψ.			2837261	0106/7

	Road	Comprose	Disobos	Intersector	Leouitei	Į	owe	ă	Time		Moreman	Vol. & Din	Courses	Object	į	1000	10ge	Weather	AMETOR	Marino	Speed Limit	Fatal	Serioos	Sales Sales	Pacesman	Epostly Communication	Останов
07	50A/0/11.017	70	s		YORK ROAD S	2754477	8/10/2007	En	855	FD	m)	CN14	381A 360A	-	В	D	В	F	13	v C	70	0	0	0	H	2837205	616672
68	50A/0/11.047	100	s		YORK BOAD	2453500	8/01/2004	Sur	1654	CB.	150h	CNI	137A		R	D	0	PΙ	l i	u c	70	0	0	0		CONTRACTOR S	616071
68	S0A/0/11.097	150	S		YORK BOAD'S	2754977	30/08/2007	This	-1327	CB	100m	VW1.	615A 682A		R	D	В	F.	Tá	4 C	100	0	0	0	=	C. V. C. C.	616668
70	50A/0/11.097	150	S		YORK ROAD	2453092	22/06/2004	Tue	1715	FD.	-	CNIV	181A		R	D	DN	P	13	, c	70	0	0	0		2837141	
21	50A/0/11.227	280	s		YORK BOAD	2450256	13/01/2004	Tue	2145	CC	Sill-	CN1	410A	FT	R	0	DN	E.	13		100	0	0	0		2837037	de la constitución de la constit
72	50A/0/11.347	400	S		YORK ROAD S	2613600	12/03/2006	Sun	1939	MG		CS1C	3728	-	R	D	TN	E		v c	100	0	2	0		2836942	Service of
73	50A/0/15,461			1	HEATHOOTE ROAD	2811803	4/01/2008	Tuo	2209	1.6	1	MS1C	1448 3038 3598		B	0	DO	F		ı c	100	100	1	0	1	and the south delication	616640
7.0	504/0/11.461			13	HEATHCOTE ROAD	2612273	7/06/2006	Thu	1715	LB	7.	MS1C	3038 3828		R	D	DO	F	T :	3 C	100	1	0	2		2836777	
70]	HEATHCOTE BOA	D		00	50A/0/11.553	2752447	4/11/2007	Wed	1852	DA.	CATON.	VN2	131A 407A	v	R	D	DÓ	E		3 C	100		0	٥		De San II	616640
701	50AW 11:553			04	HEATHCOTE ROAD	2656097	11/12/2006	Sun	1935	DA:	(SURA)	CN1	111A 400A	PV	R	D	0	F	т (C	100	179	0	0		2836777	and the same
77	50A/0/11.653	100	\$		HEATHOOTE BOAD	2755602	10/01/2007	Mon	1410	CC.	Willer.	CNIC	137A 130B	0	R	D	8	E		4 0	100	6	0	6		2836697	
78	50A/0/11:921	110	N		IRONGATE ROAD	2756971	15/11/2007	This	1015	CC	1680	CNI	500A	CF	R	D	B	F		4 C	100		0	6		2836482	7
79	50A/0/12.0/19	80	S		IRONGATE ROAD	2412085	16/06/2004	Wed	1731	GA.	-	OS1CT	331A 927	1,000	A	0	TO	E	100	4 C	100	-3-	0	1		2836331	
60	50A/0/12.031			-1	IRONGATE ROAD	2451768	22/04/2004	The	1515	JA.	-	TNIC	3028	-	B	0	0	F	1 1	3 L	100	031	0	0		2836394	Santa San
83	50A/0/12.031			1	IRONGATE ROAD	2453328	19/07/2004	Mon	B20	JA:		TN1C	3028 3758		я	0	0	6	т (3 L	100	۵	0	6		2836394	
82	50A/0/12.031			⊇1	IRONGAYE ROAD	2812250	31/05/2008	Sat	1905	i.B	7	CN1C	124A 377A 402A		A.	D	В	E	7 4	i A	100	0	0	2		2836394	
83	50A/0/12 031			31	PONGATE ROAD	2755376	6/97/2007	Fil	804	JA:		CN1C	3028 3758		B.	D	8	F	T 4	i R	100	0	c	6		75 75 75	
86.	50A/0/12:089	150	5		IBONGATE ROAD	2510034	23/04/2005	Sat	510	PA		TS1E	359A		B.	O	DN	F		v L	100	1	0	6	20	2836275	272112
85	50A/0/12.489	550	w		IBONGATE ROAD	2554091	8/04/2005	Tru	1249	DB.	Glass	CW1	501A	+	E	D	В	F			100	0	0	0	21:	Cold to be a man	6165779
86	50A/0/13.099	500	N		LONGLANDS ROAD W	2712148	23/04/2007	Men	939	FF.	→ -∆	TNIT	181A 1918	- 100	R	D	8	F	1		100	0	0				6165300
89	SOA/0/13:267	240	N		LONGLANDS ROAD W	2411164	13/01/2004	Tue	1530	FD		0810	181A 353A		A	D	0	L	13		100	0	0	4			
88	50A/0/13.307	200	N.		LONGLANDS HOAD W	2511515	4/01/2006	Fn	800	cc	- SEE	V\$1	134A 410A		A	D	в	g.	1		100	0	0	1	т		
89	50A/0/13.428	170	N.		LONGLANDS BOAD W	2652542	27/05/2006	Sat	2322	DB	(accord	CN1	388A	v	E	w	DN	м	3		100	0	0	0		2835619	616500
90	50A/0/13.542			-1	LONGLANDS ROAD W	2811537	28/03/2006	Tue	2138	DA	(Gray	CW2	136A 402A 662A	V	E	D	DO	F. 1	R (s A	50	0	0	1		2835546	The Control
91	50A/D/13.542			1	LONGLANDS FIGAD W	2412923	10/10/2004	Sun	1740	CA	766F*	CM5	110A 132A 801	F	А	w	0	L	A (5 B	50	0	0	1		2835546	6164800
92	50A/0/13.609	60	W		LONGLANDS ROAD EA	2755835	25/09/2007	Tee	1807	DA	(STORY)	CS1	111A 133A	v	я	w	DN	L	1	I R	100	0	0	D		2835542	616483
93	МАРАЕКАКАНО Я	OAD		21	50A/0-13 634	2851399	15/04/2006	Tue	1108	LB	~	OE1T	132A 404A	t5	A	w	0		x (n a	100	0	0	0		2838521	
94	50A/0/13.634			Ш	LONGLANDS FIOAD WI	2655610	24/10/2006	Tue	1710	CB	4B-	CNI	400A 420A	v	B	w	В	L		. A	100	0	0	0		2838520	
SS	50A/0/13.634			d	MARAEKAKAHO ROAC	2856280	23/01/2006	Wed	1350	GA	188*	TN1	110A 687A	25.	B	D	н	E		B	50	0	a	0		2835520	
96	50A/0/13.669			10	LONGLANDS ROAD W	2856059	12/10/2006	9.0	1430	FB		CN1C	331A		B	D	rich .	F 1		C	100	-7-	0	0		- C-	6164804



	Readname	Distance	Direction	Location	Reference	Date	Weekday	Time		Movemen	Causes	Wetness	Ne Com	Weather	Junction	Control	Fatal	Serious	Minde	Exeleg	Northing
r	IRONGATE ROAD	150	N	MARAEKAKAHO ROAD	2456364	12/98/2004	Wed	1830	DΑ	(Company)	CAR1 alcohol test above limit or test refused, too feat entering corner	Dry	Twitght	Fina	Unknown	60	0	0	0 :	2836359 6	165255
y.	IRONGATE ROAD	110	w	MARAEKAKAHO BOAD	2556313	20/12/2005	Toe	1657	DA	(CO)	CAR1 too fast entering corner, new driver showed nexpensive	Dry	Overcast	Fine	Unknows	NI	0	0	0 :	2836368 6	166226
5	IRONGATE ROAD	200	w	MARAEKAKAHO ROAD	2651007	3/01/2968	Sat	1338	LB	~	TRUCKS failed to give way when furning to non- turning traffic, didn't soellock when required to give way to triaffic from another direction ENV visibility limited by curve, entering or leaving private house / ann	Dry	Overcast	Light Rain	Drivimay	NR	ó	o	0 :	2836347-61	166314
ě	IRONGATE ROAD	220	N	SH 50A	2411745	4/10/2004	Sat	1745	DA	(Cap	CART lost control while returning to seal from unsealed shoulder	Dry	Twitight	Fine	Unknown	Ni	0	0	1 :	2836340 61	165331
5	IRONGATE ROAD	230	N	SH 50A	2413528	26/12/2004	Sun	2124	BC	\smile	CAR1 too fast entering corner, awang wide on bend, now driver showed mexperience	Dry	Dank	Fine	Unknown	Ni	0	•	3 2	2836332 6	168337
6)	IRONGATE FIOAD			STOCK ROAD	2656849	21/12/2006	Thu	2300	DB.	board	CAR1 alcohol suspected, last control when autino	Dły	Dank	Fine	X Type Junction	Mi	0	٥	0 :	2835292 61	187031
7.	MARAEKAKAHO ROAD	80	N	SH 50A	2813333	28/10/2006	Tue	1700	MC	77.).	CAR2 didnt see look behind when changing lanes, position or direction ENV; entering or leaving roadside staff.	Diy	Bright Sun	Fine	Driveway	Ni	0	0	9	2837325 6	168819
8	STOCK ROAD	150	N	IRONGATE ROAD	2712311	26/05/2007	Sat	446	CB-	300-	CAR1 alcohol test result unknown, attention diverted by passengers	Dity	Dark	Fing	LAnknown	Nii	0	2	0 3	2835342 61	167172
g.	STOCK ROAD	25	S	IBONGATE ROAD	2555875	29/10/2005	Sat	2111	80	logge	CAR1 lost control when turning, puncture or blowout	Dry	Dark	Fine	Unknown	Mi	0	0	0	2835283 61	167008
(0	STOCK ROAD	250	S	IRONGATE ROAD	2456525	20/12/2004	Mon	1130	7.71	bo _{Esp} Sold	TRUCKT load not well secured or moved	Dry	Owncasi	Fine	Ueknown	NI	0	0	0	2835193 61	166805
19	STOCK ROAD	260	9	IRONGATE ROAD	2412992	10/06/2004	Fd	518	DA	bough	CAR1 too fast entering comer, lost control due to load conditions. ENV: road surface under construction or maintenance, signs if signals necessary.	Wet	Dyercast	Light Rain	Unknown	NI	0	0	1	2835165 6	168798
12	STOCK ROAD	300	s	IRONGATE ROAD	.2751961	T4/04/2007	Sat	2240	OA	Second.	CARIT too fast entering corner, evading entorcement	Dry	Dark	Fine	Unknown	Ni	0	0	0 :	2835156 61	166771
19	STOCK ROAD	300	s	IRONGATE ROAD	2850119	1/12/2008	Sat	1516	DA	Course	CART too tast entering corner, lost control white returning to seal from unusaled shoulder	Dry	Bright Sun	Fine	Unknown	NI	0	0	0.14	2835156.61	16877)
14	STOCK ROAD .	310	S	IRONGATE ROAD	2552906	21/05/2005	Sat	2150	DA	legach.	CAR1 lost control when luming, attention diverted while toying to find intersection.	Dry	Dark	Fine	Unknown	NI.	0	0	0 2	2835149 61	66764
5	STOCK ROAD			IRONGATE ROAD	2452230	5/12/2004	Wed	1750	CA	100	GAR1 too last on straight, lost control due to road conditions. ENV: road surface (uneven).	Dry	Dark	Heavy Bain	X Type Junction	NI	0	0	0 2	2835292 61	67031
16	STOCK ROAD			IRONGATE ROAD	2411824	16/04/2004	Sun	1000	HA	-	CAR2 did not stop at stop sign. ENV: signs / signals ideflective of inadequate	Sty	Bright Sun	Fine	X Type Junction	Stop Sign	0	0	2 2	2835292 61	167031
17	STOCK ROAD			IRONGATE ROAD	2711462	23/02/2007	Fit	745	LB	<u> </u>	CAR2 didn't signal in time when luming right, failed to give way when naming to non-terming traffic.	Dry	Bright Sur	Fine	X Type Junction	NE	ó	0	1 2	2835292.61	67031
18	STOCK ROAD		118	I IRONGATE ROAD	2651688	26/04/2006	Wed	1907	CB	3000	CAR1 too far left/right, attention diversed by other tradic. ENVI atreet lighting inadequate.	Dry	Dark	Fine	X Type Junction	Give Way Sign	o	0	0 2	2835292 61	67031
FR	STOCK ROAD			I IRONGATE ROAD	2850101	18/01/2008	Fri	1645	JA.		CAR2 did not stop at stop sign	Dry	Overcast	Fine	X Type Junction	Stop Sign	0	0	0 2	2835292 61	67031
20	Z DWAY 47 YORK	480	N	SH 50AMARAEKAKAHO	2655040	18/10/2006	Wed	1338	CA	MI.	CAR1 too fast for conditions, lost control or unscaled road	Diy	Bright Sun	Fine	Unknown	Nii	0	0	0 2	2836976 61	67157
21	HEATHCOTE BOAD			1 50A//0	2650111	14/01/2005	Fri	1428	DA	(eguse)	CART alcohol suspected, too fast entering corner	Div	Bright Buri	Fine	T Type Junction	Nii	0	ò	0 5	2836777 61	166406

	Roadname	Distance	Direction	Location	Reference	Date	Weekday	Time		Movement	Ceuses	Wethesa	HQU.	Weather	Jundson	Control	Fatal	Serious	Minor	Easing	Northing
22	FLAXMERE AVENUE	Ï	Ì	1 50A09.257	2211701	25/03/2007	Sun	1555	OB	See	MOTOR CYCLE1 lost control dust to could conditions, inattentive ENV road alignery floose material on seali	Dry	Bright Sun	Fine	Roundsbout	Give Way Sign	0	3	:1	2835201	816796
23	50A/0/9.257			I FLAXMERE AVENUE	2753947	13/07/2007	Fri	560	DB	(Dept	CAR1 too last entering corner	Wet	Dark	Light Rain	Roundabout	Give Way Sign	0	0	0	2836201	616796
24	50/0/9.3	10	П	I FLAXMERE AVENUE	2855633	25/08/2008	Mor	-710	DC		CART too lest for conditions, lost control due to load conditions. ENV: road stoppery (rain)	Wet	Overcast	Heavy	Roundabout	Give Way Sign	ō	.0	p	2836254	616794
2	50A/0/9.3			I FLAXMERE AVENUE	2556119	14/12/2005	Wed	907	КА	-	VANI failed to give way at give way sign, service brake detective	Wet	Overcast	Light Rain	Roundabout	Give Way Sign	0	ō	0	2835244	516791
26	50A/0/9.392		П	FLAXMERE AVENUE	2650784	2/08/2006	Fn	1734	FB		VANT attention diverted by other traffic, wrong pedal	Dry	Bright Sun	Fine	Roundabout	Give Way Sign	0	0	D	2835247	616791
22	50A/0/9.392			I FLAXMERE AVENUE	2856345	12/05/2008	Wed	750	FB	1	CAR1 failed to notice our slowing	Dry	Bright Sun	Fine	Roundabout	Give Way Sign	à	10	ō	2836247	616791
26	50A/0/9.442	50	E	FLAXMERE AVENUE	2552896	19/06/2005	Sun	200	AF	_	CAR1 lost control under heavy braking	Wat	Dark	Light Rain	Unknown	Na.	-	-		2836278	
29	50A/0/9.462	70	s	FLAXMERE AVENUE	2612060	23/05/2006	Tue	1820	BF	•	CAR1 sating comes on bend, cell phone, communication or navigation device. CAR2 suddenly swerved to avoid vehicle.	Wet	Dark	Light Run	Unknown	NI	е	:1	3	2836291	616766
30	50A/0/9.492	100	-	FLAXMERE AVENUE	2552697			310		_	VAN1 foel control avoiding another vehicle	Dry	Dark	Fine	Unknown	NE:	o	0	0	2836312	616784
21	50A/0/9.959	110	S	YORK ROAD N MARAEKAKAHO	2412622			1522	CC	-	CAR1 lost control under heavy brigking CAR1 alcohol or drugs, alcohol suspected, lost	Wet	Overcast	Light Ram	Unknown	Ni	0	0	5	2836674	616758
12	50A/0/10.057	890	191	ROAD MARAEKAKAHO	2611454	3/11/2006		36	CC	100	control CART alcohol test above limit or test refused, lost	Dry	Dark	Fine	Unknown	Ni	0	:0	1	2836732	616748
13	504/0/10.087	860	N	ROAD	2650245	29/01/2006	Sun	420		3	control, latigue (drowsy, tired, fell asleep)	Wet	Dark	Light Rain	Unknown	Ni	0	10	0	2836750	616746
34	50A/0/10.147	800	N	MARAEKAKAHO ROAD N	2455829	30/09/2004	Thu	1608	AD		CAR1 lost control under heavy braking, cut in after overtaking. CAR2 intendating driving	Dry	Bright Sur	Fire	Unknown	Nii	0	0	0	2836788	616741
56	50A/0/10.347	600	N	MARAEKAKAHO ROAD N	2454290	24/08/2004	Tue	1130	GA	→	VAN1 following too closely, failed to notice indication of vehicle in front ENV; entering or leaving private house / farm	D/y	Bright Sun	Fina	Driveway	Ni	ō	В	0	2836905	616725
iii.	504/0/10.477	470	N	MARIAEKAKAHO ROAD	2553352	7/06/2005	Wet	1215	G4	+1	CAR1 lost control under heavy traking, following too closely ENV: entering or leaving private house (land)	Dry	Bright Sun	Fine	Driveway	NE	0	.0	0	2836982	616714
	50A/0/10.567	380	9	MARAEKAKAHO	2611270	2/03/2006	Fri	1820	00	300	CARI tost control dasque (drowsy, sired, fell asleep)	Dry	Overcast	Fine	Unknown	NE	0	0		2837035	616767
18	56A/0/10.647	300	w	MARAEKAKAHO	2654737	22/09/2006	FR	1641	FA	-	CART aconortest above limit or test refused, cut in after overtaking	lary	Bright Sun	Fine	Unknown	NA	0	0	ò	2637083	516701
38	50A/0/10.647	300	w	MARAEKAKAHO ROAD	2656804	15/12/2006	Fri	1725	FD	mp-++	CAR1 falled to notice car allowing, fatigue (growsy, fired, fell asleep)	Dry	Bright Sun	Fine	Unknown	Ni.	0	0	0	2637063	616701
agi	50A/9/10.654	200	N	MARAEKAKAHO ROAD N	2451183	3/12/2004	Fig	1010	DB.	6000	CAR1 skehol test below limit, lost control under heavy brisking	Ocy	Bright Sun	Firm	Unknown	101	0	0	0	2837142	616693
**	50A/0/10.687	260	S	MARAEKAKAHO ROAD	2513426	22/12/2005	Thu	1110	CID	→ 0)	CAR1 failed to notice car blowing, attention diverted by advertising or signs. ENV actioning or leaving roadside stall.	Ory	Boght Sun	Fine	Driveway	NI	0	.0	ā	2837107	B16698
42	50A/0/10.797	150	N	MARAEKAKAHO. ROAD	2451287	8/01/2004	Thu	1020	EA	7.7	TRUCK1 too far kiltyngns, trisipalged speed of own vehicle. ENV: visibility limited by parked vehicle.	Dry	Bright Sun	Fine	Unknown	NE	0	0	0	2837172	816689
43	YORK ROAD	150	W	50A/0/10,797	2511161	15/01/2005	Sat	2220	00	سففو	CAR1 farigue (drowny, fired, fell asleep)	Dry	Dark.	Fine	Unknown	NI	0	0	23	2937172	616689
44	YORK ROAD	100	N	50A/0/10/847	2651925	5/04/2006	Thu	2120	EC	-	CART did not see or look for other party until too late. ENV: form animal straying	Wet	Dark	Mist	Unknown	Ni	0	0	B	2937202	515685
45	50A/0/10:654		П	MARAEKAKAHO ROAD N	2450214	2/01/2004	Sun	21.30	JA:	الع	CAR2 false to give way at give way sign	Wet	Dark	Light Ban	T Type Junction	Give Way Sign	0	0	30	2837261	818677
86	50A/0/10.887	60	ti	MARAEKAKAHO BOAD	2756459	11/07/2007	Wed	800	FD		CAR1 following too closely, new driver snowed imporporance	Dry	Overcast	Fine	Unknows	NI	0	ŏ	0	2837225	616681
67	50A/0/10.897	50	w	MARAEKAKAHO ROAD	2555047	22/09/2055	Thu	752	AD	nini,	CART lost control when turning, suddenly swerred to avoid vehicle. CAR2 didnt searlock behind when changing lanes, position or direction, blind soot.	Dry	Bright Sun	Fine	Unknown	NI	0	0	a	2837231	616681

	Roadmine	Distance	Direction	Location E	Raferonce	Case	Wounday	Time		M.C. veprageri	Courses	Wetness	ngbi.	Weather	riogeni	Control	Fatal	Serious	Minar	Northing
iă.	MARAEKAKAHO ROAD	e e	Ħ	I YORK ROAD	2650527	21/02/2006	Toe	1317	кв	-	TRUCK2 failed to give way at give way sign, dight see/look when required to give way to traffic from another disection.	Dry	Bright Sun	Fine	T Type Junction	Give Way Sign	0	:0	0 283726	1 616677
in	50A/0/10.947		П	MARAEKAKAHO ROAD	2763527	14/06/2007	Thai	162n	AL	-	OTHERS orthit see book when visibility obstructed by other vehicles. ENV: failed to give way at give way sign.	Wet	Overcast	Light Rain	Т Туре Јагобол	Give Way Sign	ė	0	0 283726	n 616677
50	50A/0/10.947			MARAEKAKAHO BOAD	2751888	13/04/2007	Fn	1890	FB:		TAXI1 following too closely	Dry	Dark	Fine	T Typis Jungtion	Give Way Sign	0	0	0 293726	01 616677
51	S0A/0/10:947			MARAEKAKAHO ROAD	2553028	24/06/2005	Fn	827	FB	11	CART tailed to notice car slowing. ENV gotocong or leaving other communicial.	Wet	Dvercest	Fine	T Type Junction	Give Way Sign	0	0	D 289728	1 616677
8	50A/0/10.947		П	MARAEKAKAHO BOAD	2711260	15/01/2007	Mon	918	GA		CART attention diverted by other fraffic, misjudged intentions of another party	Dity	Bright Sun	Fine	T-Type Junction	Give Way Sign	0	0	3 283726	V 616677
50	50A/0/10.947		П	MARAEKAKAHO ROAD	2711224	2/03/2007	Sat	2310	FS	!	CARL too tast on straight	Wet	Dark	Light Ray	T Type Junction	Give Way Sign	0	0	1 283728	1 616677
ě	50A/0/10,947			MARAEKAKAHO ROAD	2612065	6/09/2006	FH	755	LB	<i></i>	CAR2 failed to give very when surring to hon- turning traffic; misjudged intentions of another party	Diy	Bright Sun	Fine	T Type Junction	Give Way Sign	o	0	3 283/28	1 616677
55	50A/0/10.947			MARAEKAKAHO ROAD	2651535	4/09/2006	Sun	1206	LB	J-	CART didn't signal in time incorrect signal, travelled streight ahead from surring time or flush median. CAR2 falled to give way when turning to non-turning ratio.	Ωry	Bright Sun	Fine	Type Jandion	Give Way Sign	ō	á	0 283726	1 616677
jā.	50A/0/10.947			YORK BOAD	2811193	2/05/2008	Tue	1705	AL)	CARS falled to give way at give way sign, didn't see/look when required to give way to traffic from another discrion.	Diy	Overcast	Fine	Type Junction	Geve Way Sign	.0.	g	1 283726	616677
\$T.	50A/0/10.947			1 YORK ROAD S	2652767	4/12/2006	Wed	400	DC			Wet:	Oark	Light Rein	T-Type Junction	Give Way Sign	.0	0	0 283726	616677
55	50A(0/10.947			I YORK ROAD S	2553122	30/06/2005	Thia	1720	L6	J	SUV1 alcoholitest above timit or test refused CAR2 talked to give way when turning to non- turning traffic, actenion divarted by other traffic didn't are look when visibility obstructed by other vehicles.	Dry	Twiight	Firm	T Type Junction	Give Way Sign	0	ō	0 289726	1 6166/7
98	50A/0/10.947			I YORK ROAD	2511742	22/04/2005	FH	1715	1.6	~	CAR1 don't signal in time incorrect alguar VAN2 failed to give way when himing to non-turing traffic	Dry	Twiight	Firm	T Type Junction	Give Way Sign	0	0	1 288726	n 616677
Ła.	50A/0/10.947			I YORK ROAD	2851400	14/04/2008	Mon	1833	Le.	~	CAR2 falled to give way when turning to non- turning stallic, dight sevence when required to give way to traffic from another direction.	Wes	Dark	Light Rain	T Type Junction	Give Way Sign	0	0	0 263726	1 616677
et	50A/0/10.947			MARAEKAKAHO ROAD	2412202	20/06/2004	Sun	2100	DC.	-	CART abond test above limit or test refused, too fast on streight, lost control under fleavy braking	Wes	Dark	Light Rain	T Type Junction	Give Way Sign	0	0	1 283726	1 616677
62	50A/0/10 947			MARAEKAKAHO ROAD	2751853	23'04'2007	Mon	1445	FB		CAR1 too that to give way at intersection, tailed to notice car slowing.	Dry	Bright Sun	Fine	T Type Junction	Give Way Sign	0	0	0 283726	1 615677
63	50A/0/10,947			MARAEKAKAHO ROAD	2613599	27/12/2006	Wed	932	LB	~	CARS taise to give way when suring to non- turning traffic, misjudged intentions of another party	Dry	Owncost	Fine	T Type Junction	Give Way Sign	0	ì	2 283726	1 016877
44	50A/0/10 947			MARAEKAKAHO ROAD N	2411563	4/01/2004	Tou	1820	LB .	J-	CAR2 failed to give way when turning to here- turning traffic; did not see or look for other party until too late	Dry	Twilight	Fine	T Type Junction	Give Way Sign	0	0	2 263726	il 616677
65	50A/0/10.947			MARAEKAKAHO ROAD N	2512268	7/07/2005	Thu	1020	LB	J-	CAR2 tailed to give way at give way sign, attention diverted by other traffic, dight see look when visitality obstructed by other vehicles.	Dry	Overcast	Fine	T Type Junction	Give Way Sign	0.	o	1 283726	1 616677
65	50A/0/10,947		П	MARAEKAKAHO ROAD N	2452184	22/05/2004	Set	920	GA.	-	CAR1 lated to notice car slowing	Dry	Overcast	Fine	T Type Junction	Give Way Sign	0	0	0 283726	1:616677
67	50A/0/11.017	70	\$	YORK ROAD S	2754477	8/10/2007	Fil	855	FO	-	CARI failed to notice car slowing, attention divorted by driver dazzled by survigits	Dry	Bright Sun	Fine	Usknown	618	0	0	0 283720	5 516672
68	50A/0/11.047	100	s	YORK ROAD	2453509	8/01/2004	Sun	1654	CB	سععو	CART that control avoiding another valvide	Dry	Overcast	Fine	Unknown	Nil	0	0	0 283718	1 616671

	Roedcarse	Distanse	Direction	Location	Reference	Date	Меендау	Time		Married	Causes	Wetness	No.	Weather	Jundkin	Control	Fatal	Seriolas	Minor	Entirel	Northing
69	50A/0/1 1.097	150	8	YORK ROAD S	2754977	30/08/2007	Thu	1327	CB	سففاد	VAN1 jack-knifed, load not well secured or moved	Dry	Bright Sun	Fine	Unknown	Nil.	0	0	0	2837141	616668
70 71	50A/0/11/097 50A/0/11/227	150 280	- 17	YORK ROAD YORK ROAD	2453092 2450256	22/05/2004		1715 2145			CAR1 following too dosely CAR1 talkque (drowsy, fixed, fall asleep)	Dry	Dark Dark	Fine Fine	Unknown	Neil Nail	0 0	0		2837141	
72	50A/0/11.347	400	_	YORK ROAD S	2613500	12/03/2006			MG		CAR2 didnt senfock behind when changing tanes, position or direction	Dry	Twilight	Fine	Unknown	NI	0	2	237	2836942	
73	50A/0/11,461			HEATHCOTE ROAD	2811803	4/01/2008	Tue	2209	LB	~	CAR2 didn't signal in time when furning right, lailed to give way when turning to non-turning traffic, cell phone, communication or navigation device.	Dry	Dark	Fine	T Type Junction	N	0	ч	0	2836777	616640
7.9	50A/0/11.461			HEATHCOTE ROAD	2612273	7/06/2006	Thu	1715	LB	J#	CAR2 failed to give way when turning to non- turning traffic, migudged speed etc of vehicle coming from another dim with right of way	Dry	Dork	Fine	T Type Junction	Stop Sign	ō	0	2	2836777	6166406
75	HEATHCOTE ROAD			508/0/11:553	2752447	4/11/2007	Wed	1852	DA	(GOOD)	VAN1 lost control when turning, driver over- reacted	Dry	Dark	Fine	T Type Junction	Give Way Sign	0	0	0	2836777	616640
16	50A/0/11.553			HEATHCOTE ROAD	2656097	11/12/2006	Sun	1935	DA	Contract of	CARL too test entering corner, inexperience	Dry	Overcest	Fine	T Type Junction	Give Way Sign	o	0	0	2836777	816640
37.	50A/0/11:853	100	s	HEATHCOTE ROAD	2755602	10/01/2007	Mon	1410	CC.	-	CART test control avoiding another values CAR2 tost control	Dny	Bright Sun	Fine	Unknown	Ni	0	0	0	2835597	516634
79	50A/0/11.021	110	8	IRONGATE ROAD	2756971	15/11/2007	Thu	1015	cc	-	CAR1 immes and deapility	Dry	Bright Sun	Fine	Unknown	NI	0	0	0	2636482	616618
19	50A/0/12.019	80	\$	IRONGATE HOAD	2412085	16/06/2004	Wed	1731	GA	ر ـــ	CAR1 talled to notice can slowing. ENV entering or leaving other commercial.	Diy	Twilight	Fine	Driveway	NE:	o	0	1	2636331	616607
60.	50A/0/12,031			I IRONGATE ROAD	2451768	22/04/2004	Thu	1515	JA	-	CAR2 falled to give way at give way sign	Dry	Overcast	Fine	T Type Junction	Give Way Sign	0	0	0	2836394	516611
97	50A/0/12 031			I IRONGATE ROAD	2453328	19/07/2004	Mon	820	JA	-	CAR2 falled to give way in give way sign, didn't service when required to give way to traffic from another direction.	Dry	Overcast	Fine	T Type Junction	Give Way Sign	0	0	0	2836394	616611
12	50A/0/12.031			I IRONGATE ROAD	2812250	31/05/2006	Sat	1905	t.EL	~	CART cutting corner at intersection, didni see/look when visibility obstructed by other vehicles, new driver showed inexpedence	0ry	Bright Sun	Fine	T Type Junction	Give Way Sign	0	0	2	2836394	616611
ķį.	50A/0/12:031			I IRONGATE ROAD	2755376	9/07/2007	Fri	804	JA.	رو	CAR2 failed to give way at give way sign, didn't suclook when required to give way to traffic from another direction.	Dry	Bright Sun	Fine	T Type Junction	Give Way Sign	0	0	0	2836394	616611
×	50A/0/12.089	150	8	IRONGATE ROAD	2510034	23/04/2005	Sat	510	PA:	\rightarrow	TRUCK1 cell phone, communication or navigation device.	Dry	Dark	Fine	Unknown	648	1	0	.0	2836275	616602
M.	50A/0/12.489	550	w	IRONGATE ROAD	2554091	8/04/2005	Thu	1,249	DB	Care	CAR1 lilness with no warning (eg heart attack)	Dry	Bright Sun	Fine	Unknown	168	0	0	0	2835965	616577
85	50A/0/13.099	500	N	LONGLANDS ROAD WEST	2712148	23/04/2007	Mon	939	FF	∆	TRUCK1 following too closely TRUCK2 suddenly braked	Dry	Bright Sun	Fine	Unknown	NE	C	ē	¥	2835750	616530
AT.	50A/0/18.267	240	N	LONGLANDS ROAD WEST	2411144	13/01/2004	Tue	1530	FD.	m)	CAR1 following too closely, attention diverted by other traffic	Dry	Overcast	Light Rain	Unitriown	NE	à	ē	1	2835647	616506
98	60A/0/13 307	200	N	LONGLANDS ROAD WEST	2511515	4/01/2005	Fn	803	ČC.	***	VAN1 test control white ruturning to small from undealed shoulder, fatigue (drowsy, fired, feli- asteep)	Dry	Bright Sun	Fine	Unknown	Ni	ā	Œ.	1	2835631	616503
69	50A/0/13,429	170	I.N	LONGLANDS ROAD WEST	2652542	27/05/2006	Sat	2322	DB	General	CAR1 misjudged speed of own vehicle	Wet	Dark	Mist	Unknown	Nii -	0	0	0	2835619	616500
*	50A/0/13.542		П	LONGLANDS ROAD WEST	2611537	28/03/2006	Tue	2138	DA	Garan.	CAR1 lost conitol due to vehicle faul; new driver showed inexperience, suspension failure	Dry	Dark	Fine	Roundabout	Give Way Sign	0	0	i,	2835546	616480
gL	50A/0/13.542			LONGLANDS ROAD WEST	2412923	10/10/2004	Swi	1740	ÇA	1887 *	CAR1 too fast for conditions, roat control under heavy braking ENV: road slippery (roin)	West	Overcast	Light Rain	Roundabout	Give Way Sign	0	٥	1	2835546	616480
112	50A/0/13.60G	60	w	LONGLANDS BOAD EAST	2755835	25/09/2007	Tue	1807	DA	(egaph)	CART too fast entering corner, lost control under heavy acceleration	Wes	Dark	Light Rain	Unknown	Na	0	0	0	2835542	6164850
83	MARAEKAKAHO ROAD			1 50A/0/13.634	2851399	15/04/2008	Tue	1108	LE	·	CART lost pontrol under heavy braking, overseas diver fieled to adjust to local conditions.	Wet	Overcast	Light Rain	X Type Junction	Give Way Sign	0	0	0	2835521	6164830

	Readname	Direction Treation	Пейттов	Certe	Weekday	Time	Movement	Cautes	Wetness	Light	Мешноя	Junction	Control	Fatei	Serious	Minor	Easting Northing
94	50A/0/13.634	LONGLANDS ROAD WEST	2655610	24/10/2006	Tue	1710 CB	200	CART inexperience, incorrect use of vehicle	Wet	Bright Sun	Light Rain	X Type Junction	Give Way Sign	0	0	0 283	5520 6164822
äń	50A/0/13.634	MARAEKAKAHO	2856280	23/01/2008	Wed	1350 CA	THAT	FRUCK1 too fast for consitions, lead too heavy	Diy	Bright Sun	Fine	Roundabout	Give Way Sign	0	0	0 283	6520 6184822
945	50A/0/13.669	LONGLANDS ROAD WEST	2656059	12/10/2006	Sun	1430 F9		CAR1 falled to notice car slowing	Dry	Bright Sun	Fine	Roundabout	Give Way Sign	0	0	0 283	6527 6164804




Number of records = 96

ANALYSIS OF FACTORS ASSOCIATED WITH CRASHES

	Year			Month			Day		Tim	e of Acci	dent	Mo	vement T	ype	Direc	ction of T	ravel	0	urve Typ	à		Watness		Objects	s) Struck	k (up to 3)
Value.	Freq	.59	Value	Frou	54	Value	Freq	%	Value	Freq		Value	Freq	3%	Value	Freq	96	Value	Frog	%	Value	Freq	54	Value	Freq	26
2004	24	25	1	16	17	MON	- 3	8	- 0	0	0	A	-4	- 4		0	- 0	R	74	77	D	75	78	I A	0	- 0
2005	18 23	19 24	2	2	2	TUE	14	15	100	1	1	8	2	2	North -	:41	43	E	10	10	W	21	22	8	0	ó
2008	23	24	3	7	7	WED	13	14	200	2	2	C	18	19	South		33	M	12	13	100	0	Ď.	- C		4
2007	19	20 13	4	13	14	THU	15	16	300	0	0	0	23	24	East	32 15	16	5	0	0				0	1	2
2008	12	13	5	8	8	FRI	16	19	400	2	2	8	2	2	West	8	- 8							F	D	0
2009	.0	0	6	9	9	SAT	14	15	500	2	2	F.	14	15									_	F	13	28
2010	0	0	7	5	5	SUM	14	15	600	2	2	G	6	6										G	- 5	2
2011	-0	0	- 8	6	. 6				700	0	0	H	1	1										H	0	0
2012	0	0	9	6	- 6				800	7	7	3	7	7										1	2	- 1
2013	0	0	10	8	8				900	4	4	K	2	2										1	0	0
2014	0	0	11	3	3				1000	- 6	6	L	14	15										- K	- 1	2
2015	0	C	12	13	14				1100	4	- 4	M	2	2										1 1	0	0
2026	.0	0			100,444				1200	4	- 4	N	0	0										M	2	4
2027	0	0							1300	4	- 4	0	0	0										N	0	0
2028	- 0	0							1400	- 6	- 6	P	1.0	1					_					0	0	0
2029	.0	0							1500	4	4	0	0	0:										P	2	- 4
2030	0	0							1600	6	.6													0	0	0
2031	.0	0							1700	ő	- 6													R	0	0
2032	.0	0							1800	12	13													S	- 3	6
2033	0	0							1900	7	7													Ť	5	11
2034	0	· C	_						2000	3	3													U	0	0
2035	0	0							2100	1	-1													V	14	30
2036	0	0							2200	7	7													W	. 1	2
2037	- 0	0	_						2300	-4	-4			_										×	0	0
2038	0	0	_						2400	2	2													Y	0	0
2039	0	0	_			_		-	U	9	0						100							2	0	0
	96	100		36	100		96	100	1	28	100		.96	100		96	100		95	100		96	200		47	100

Grid Rel Box Easing 0895140 to 2897335 Northing 6164664 to 6167965

	Light			Weather		19	Junction			Control		E	Markings	9	9	peed Lim	it	Acc	cident Ty	pes	Per	destrian A	ge		yclist Ag	0
Value	Freq	*	Value	Freq	56	Value	Freq	- %	Value	Froq	56	Value	Freq	70	Value	Freq	25	Value	Freq	56	Value	Freq	76:	Value	Freq	%
В	35	36	F	73	76		43	45		0	0	X	0	0	30	0	0	F	1	1	Ċ	0	0	0	- 6	- 0
BO	0	0	FF	0	0	D	6	6	T .	0	D	R	19	20	50	7	7	5	7	7	4	0	0	4	0	0
BF BN	0	.0	58	0	.0	M	0	0	.8	3	3	P	1	1	60	0	0	M	26	27	8	0	0	8	0	0
BN	0	0	M.	2	2	R	10	10	G	39	41	1.	6	6	70	18	19	N	26. 62	65	12	0	6	12	0	- 0
BU	0	0	MF	0	0	T	29	30	M	0	0	C	66	69	80	0	0		95	100	16	0	0	16	0	- 6
0	22	23	MS	0	0	×	8	8	ρ	0	0	N	4	4	90	0	0		_3%_	1,140	20	1	3	20	0	6
00	0	23	i.	19	20	Y	0	0	N.	54	56				100	71	74				24	0	0	24	0	6
OF	,	1	LF	0	0						-72-		_				- 7-2	- 40	tual Injur	ins.	28	0		28	0	- 0
ON	0	0	LS	0	0					_								Value	Freq	4:	32	o o	0	32	- 0	0
OU	0	0	н	2	2													D	4	2	36		6	26		~~~
T	o o	0	HE	Ď.	0								-	_			_	6	0	17	40		- 0	40		- 0
TO	3	3	HS	0	0													M	42	81	44	0	- 6	44	- 0	- 0
TF	- 1	- 1	8	0	0											_		m	52	100	48		- 0	- 44		- 0
TN	4	- 1	SF	0	0				_		-							_	- 04	100	52	6		90	-0	0
TU	Ď	0	SS	0	0			-						_				-			58	0		58	0	0
D	0	0	- 00	u										_	_						12.77	0	D		. 0	- 0
	16	17		-				-		_	_	_	-	_		_	_	_			60			60	0	- 0
DO DF	Α.	0						_	_	_	_	_		_				_			64	Q	0	64	0	9
DN	15	16							_		_		_		_						88	0	- 0	- 68	. 0	0
DU	19	0		-	_		_	_		-	_	_	_			_				_		0	0		0	0
DO.	96	100	_	26	100	_	26	100		- 36	100		56	200		96	100	_					_			1.00



File CAS_irongate.xls, Worksheet Annual Severity Plot 26/06/2009 4:27 p.m.




ACCIDENT TYPE (Similar Movements/Accident Costs) - sorted by "Vehicle 1")


(Note that the vehicle type having the highest cost varies depending on movement category and crash sevently. The following chart does not identify the highest cost vehicle where more than one vehicle was involved.)

			Bus	(B,L)			Truc	k (T)		C	ar (C,V	,X,Oth	er)		Motorbi	ke (M,)		Push C	ycle (S)
Movement	Codes	F	S	M	N	F	S	M	N	F	S	M	N	F	S	M	N	F	S	M	N
Head On	AB,B	ì								1	2	$\overline{}$									
Hit Object	E								1				1		1						
Lost Control Off Road	AD,CB,CC,CO,D					F 36 0			2		1	9	27		1						
Lost Control On Road	CA								1			1	2								
Miscellaneous	Q																				
Overtaking	AA.AC,AE-AO.GE												1								
Pedestrian	N,P					1	Ü :														
Rear End, Crossing	FB,FC,GD											2	6			TI.					
Rear End, Queuing	FD,FE,FF,FO							:1				1	4								
Rear End, Slow Vehicle	FA,GA-GC,GO											2	4	i —							
Crossing, Direct	H											1									
Crossing, Turning	J,K,L,M								2		2	8	11		1	1					
All Movements	All																				
(Irregular Coding)	(None of above)																				
	Total =					1		1	6		5	24	56		2	1					


| Total Fatal = 1 | Total Serious = 7 | Total Minor = 26 | Total Non Injury = 62 |


96






Hourly Crash Distribution













Brightness of sky






File CAS_irongate.xls, Worksheet Streelights 26/06/2009 4:27 p.m.







NOT FOR CONSTRUCTION

				SCALES (A3) 1	: 100	
					NAME	DATE
				DESIGNED		
				DESIGN CHECK		
				DRAWN	R TAYLOR	06/09
				DRAWING CHECK		
REV	REVISIONS	APP	DATE	APPROVED	T GRACE	06/09





HASTINGS DISTRICT COUNCIL
IRONGATE INDUSTRIAL PLAN CHANGE
TYPICAL COSS SECTION

IRONGATE ROAD

FOR CONSULTATION

Date 12/06/2009

Drawing No. Sheet No

Z1462302

C 0 1 (

100 DO NOT SCALE - IF IN DOUBT,



Hastings District Council Irongate Industrial Plan Change

Rough Order Costs Summary Transportation Network Improvements

	Irongate Road	Maraekakaho Road	Maraekakaho Road / Irongate Road Intersection	Marakakaho Road / York Road Intersection	Link Road	Link Road <i>I</i> Irongate Road Intersection	Link Road <i>I</i> York Road Intersection	Internal Access Corridor
Stage 1	\$460,000.00	\$50,000.00	\$625,000.00	\$500,000.00	Not required	Not required	Not required	\$168,000.00
Stage 2	\$525,00.00	Not required	Not required	Not required	\$1,465,000.00	\$340,000.00	\$330,000.00	Not required
Total	\$985,000.00	\$50,000.00	\$625,000.00	\$500,000.00	\$1,465,000.00	\$340,000.00	\$330,000.00	\$168,000.00

NOTES

- The rough order costs are considered to have an accuracy of + / 30%.
- All rough order costs exclude land purchase (with the exception of the internal access corridor) and swale construction.

1

- Provision for stormwater is 5.6% of the total rough order costs.
- Provision for general is 5% of total rough order costs, provision for contingency is 20% of total rough order costs and provision for professional services is 15% of total rough order costs.
- The rough order costs do not include any provision for land purchase costs for the Link Road from Irongate Road to York Road or for the turning head required on Irongate Road.

Hastings District Council



Irongate Industrial Plan Change

- The rough order costs for the upgrade of Irongate Road is based on the accepted concept design solution as shown on the cross section drawing attached.
- There have been two rough order costs completed for the Link Road. These are for a design outcome based on a 9m wide carriageway with no footpaths, parking or cycle lanes and a design outcome based on a 14m wide kerb to kerb carriageway. The greater of the rough order costs (14m wide kerb to kerb design solution) has been included in the rough order costs summary table.
- The rough order costs for the Maraekakaho Road / Irongate Road round-a-bout does not include any provision for land purchase costs. It is understood that the Council has completed a valuation for these costs that can be included as considered appropriate.
- The rough order cost for the internal access corridor is based on the assumed land purchase costs for a 16m wide x 208m long area only at \$50.00 / m². The cost associated with the construction of any access or road within this internal access corridor will be the responsibility of the developer.
- The rough order cost included for Maraekakaho Road is for the extension of the culvert in the Irongate Stream. This will enable sufficient width for a dedicated cycleway and flush median to be constructed through this narrower section of the road. It has been determined that elsewhere there is currently sufficient carriageway width along Maraekakaho Road for provision of a dedicated cycleway and a flush median. No costings have therefore been provided for the widening of Marakakaho Road.
- The rough order costs for the upgrade of the Maraekakaho Road / York Road intersection are provisional only. Performance monitoring of this intersection as the development proceeds may identify requirements for improvement works. This provisional cost is based on a comparison of the revised rough order costs for the Link Road intersections and the 1999 OPUS SAR for this intersection.

This report has been prepared for the benefit of Hastings District Council. No liability is accepted by this company or any employee or sub-consultant of this company with respect to its use by any other person



18-May-09

<u>Industrial</u>	Expansion

Rough Order Schedule Of Quantities

HILL	usti lai Expansion	Rough Order Schedule Of Quantities				
	ngate - 3Leg Tee Junction @ York	Prepare	ed By:	K. Kiriona		
Item		Unit	Quantity	Rate	Amount	
1	General					
1.1	General	LS			\$13,000.00	
1.2	Contingency	LS			\$50,000.00	
2	Stormwater Pipe Works					
2.1	Construct sumps, leads and manholes	LS	1	15,200.00	\$15,200.00	
3	<u>Islands</u>					
3.1	Construct splitter island	LS	1	5,000.00	\$5,000.00	
4	Kerb and Channel					
4.1	Construct non-mountable kerb and channel	m	0	40.00	\$0.00	
5	Pavement Works					
5.1	Undercut shoulders	cu m	152	10.00	\$1,522.50	
5.2	Localised undercut to waste.	cu m	20	25.00	\$500.00	
5.3	Supply & place make up metal.	cu m	20	50.00	\$1,000.00	
5.4	Excavate existing pavement metals to stockpile	cu m	426	5.00	\$2,129.25	
5.5	Excavate to waste	cu m	334			
5.6	Backfill and compact saved pavement metals	cu m	426	8.00	\$3,406.80	
5.7	Supply and compact straighthaul material	cu m	278	12.00	\$3,333.60	
5.8	Cement stabilise existing subgrade metals	sq.m	1,356	7.00	\$9,492.00	
5.9	Supply and compact 150mm M5 basecourse material	sq.m	3,793	15.00	\$56,895.00	
6	First Coat & A.C. Seal					
6.1	Preparation of surface	sq.m	0	0.10	\$0.00	
6.2	Bitumin; Supply & place 180/200 binder	L	0	1.50	\$0.00	
6.3	Supply and place grade 3 sealing chips	sq.m	0	1.00	\$0.00	
6.4	Supply and place grade 5 sealing chips	sq.m	0	1.00	\$0.00	
6.5	Mix 20 Asphaltic cement paving	sq.m	3,793	30.00	\$113,790.00	
6.6	Extra sweeping of surplus chips	ea	1	1,000.00	\$1,000.00	
7	Unscheduled Items					
7.1	Land Purchase (includes "The Property Group" fees)			Not included		
7.2	Street Lighting and provide private power supply.	L.S.	4	2,000.00	\$8,000.00	
7.3	Roadmarking, R.P.M's & all road signs	L.S.			\$1,000.00	
l	(including new directional signs)					
7.4	Cost share to lower telecom cables	L.S.			\$0.00	
7.5	Cost share to lower power cables	L.S.			\$0.00	
7.6	Install LINZ Survey Standard	L.S.			\$0.00	
8	Professional Services Fees	L.S.			\$42,790.37	
		CONTRA	СТ ТОТА	L \$	\$328,059.52	

Assumptions & Exclusions

Land purchase not included

Stormwater costs = 5.6% of total

Contingency = 20% of total

General = 5% of total

PS fees = 15% of total

CONTRACT TOTAL

\$

\$949,014.79

Industrial Expansion

MWH

Rough Order Schedule Of Quantities

Iro	ngate - Link Road, 9m no kerb	Prepared By:		K.Kiriona	
Item	Description	Unit	Quantity	Rate	Amount
1	General				
1.1	General	LS			\$36,000.00
1.2	Contingency	LS			\$145,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	43,900.00	\$43,900.00
3	Traffic Islands Infill				
3.1	Construct paving.	sq.m	Part of	30.00	
3.2	Supply topsoil for islands	sq.m	intersection	15.00	
3.3	Service lane median	sq.m	treatments	25.00	
4	Kerb and Channel				
4.1	Construct non-mountable kerb and channel	m	0	40.00	\$0.00
5	Pavement Works				
5.1	Remove existing kerbing.	m	0	10.00	\$0.00
5.2	Localised undercut to waste.	cu m	300	25.00	\$7,500.00
5.3	Supply & place make up metal.	cu m	300	50.00	\$15,000.00
5.4	Excavate existing pavement metals to stockpile	cu m	0	15.00	\$0.00
5.5	Excavate to waste	cu m	5,418	20.00	\$108,356.00
5.6	Backfill and compact saved pavement metals	cu m	0	20.00	\$0.00
5.7	Supply and compact straighthaul material	cu m	1,894	60.00	\$113,616.00
5.8	Cement stabilise 250mm depth	sq.m	9,468	7.00	\$66,276.00
5.9	Supply and compact 150mm M5 basecourse material	sq.m	9,468	15.00	\$142,020.00
6	First Coat & A.C. Seal				
6.1	Preparation of surface	sq.m	9,468	0.10	\$946.80
6.2	Bitumin; Supply & place 180/200 binder	L	17,989	1.50	\$26,983.80
6.3	Supply and place grade 3 sealing chips	sq.m	9,468	1.00	\$9,468.00
6.4	Supply and place grade 5 sealing chips	sq.m	9,468	1.00	\$9,468.00
6.5	Mix 20 Asphaltic cement paving	sq.m	0	30.00	\$0.00
6.6	Extra sweeping of surplus chips	ea	1	5,000.00	\$5,000.00
7	Unscheduled Items				
7.1	Land Purchase (includes fees)	_	Not included		
7.2	Street Lighting	each	15	2,000.00	\$30,000.00
7.3	Roadmarking, R.P.M's & all road signs	L.S.			\$2,000.00
	(including new directional signs)				
7.4	Service Relocation - Telecom	L.S.			\$25,000.00
7.5	Service Relocation - Power	L.S.			\$25,000.00
7.6	Install LINZ Survey Standard	L.S.			\$5,000.00
7.7	Beautification/landscaping	L.S.			\$10,000.00
8	Professional Services Fees	L.S.			\$122,480.19

Assumptions & Exclusions

Land purchase not included

Swale construction not included

Assumed seal width = 9

Stormwater costs = 5.6% of total

Contingency = 20% of total

General = 5% of total

PS fees = 15% of total

Prepared

Unit

L

sq.m

sq.m

sq.m

ea

sq.m

each

L.S.

27,983

14,728

14,728

0

1

15

Description

Irongate - Link Road, 14m kerb to kerb

Bitumin; Supply & place 180/200 binder

Supply and place grade 3 sealing chips

Supply and place grade 5 sealing chips

Roadmarking, R.P.M's & all road signs

Mix 20 Asphaltic cement paving

Extra sweeping of surplus chips

Land Purchase (includes fees)

(including new directional signs)

Unscheduled Items

Street Lighting

Rough Order Schedule Of Quantities

Quantity

K.Kiriona

1.50

1.00

1.00

30.00

0.00

5,000.00

2,000.00

\$41,974.80

\$14,728.00

\$14,728.00

\$5,000.00

\$30,000.00

\$2,000.00

\$0.00

\$0.00

Rate Amount

1	<u>General</u>				
1.1	General	LS			\$55,000.00
1.2	Contingency	LS			\$225,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	67,600.00	\$67,600.00
3	Traffic Islands Infill				
3.1	Construct paving.	sq.m	Part of	30.00	
3.2	Supply topsoil for islands	sq.m	intersection	15.00	
3.3	Service lane median	sq.m	treatments	25.00	
4	Kerb and Channel				
4.1	Construct non-mountable kerb and channel	m	2,104	40.00	\$84,160.00
5	Pavement Works				
5.1	Remove existing kerbing.	m	0	10.00	\$0.00
5.2	Localised undercut to waste.	cu m	350	25.00	\$8,750.00
5.3	Supply & place make up metal.	cu m	350	50.00	\$17,500.00
5.4	Excavate existing pavement metals to stockpile	cu m	0	15.00	\$0.00
5.5	Excavate to waste	cu m	7,048	20.00	\$140,968.00
5.6	Backfill and compact saved pavement metals	cu m	0	20.00	\$0.00
5.7	Supply and compact straighthaul material	cu m	2,946	60.00	\$176,736.00
5.8	Cement stabilise 250mm depth	sq.m	14,728	7.00	\$103,096.00
5.9	Supply and compact 150mm M5 basecourse material	sq.m	14,728	15.00	\$220,920.00
6	First Coat & A.C. Seal				
6.1	Preparation of surface	sq.m	14,728	0.10	\$1,472.80

7.4 Service Relocation - Telecom L.S. \$25,000.00 7.5 Service Relocation - Power L.S. \$25,000.00 7.6 Install LINZ Survey Standard \$5,000.00 L.S. 7.7 Beautification/landscaping L.S. \$10,000.00 L.S. \$189,695.04 8 **Professional Services Fees** CONTRACT TOTAL \$ \$1,464,328.64

Assumptions & Exclusions

Land purchase not included

Assumed seal width = 14

Stormwater costs = 5.6% of total

Contingency = 20% of total

General = 5% of total

6.2

6.3

6.4

6.5

6.6

7.2

7.3

7 7.1

PS fees = 15% of total



18-May-09

Industrial	Expansion	

Rough Order Schedule Of Quantities

Iro	Irongate - 3Leg Tee @ Link / Irongate		ed By:	K. Kiriona	
Item	Description	Unit	Quantity	Rate	Amount
1	<u>General</u>				
1.1	General	LS			\$13,000.00
1.2	Contingency	LS			\$52,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	15,700.00	\$15,700.00
3	<u>Islands</u>				
3.1	Construct splitter island.	LS	1	5,000.00	\$5,000.00
4	Kerb and Channel				
4.1	Construct non-mountable kerb and channel	m	100	40.00	\$4,000.00
5	Pavement Works				
5.1	Undercut shoulders	cu m	152	10.00	\$1,522.50
5.2	Localised undercut to waste.	cu m	20	25.00	\$500.00
5.3	Supply & place make up metal.	cu m	20	50.00	\$1,000.00
5.4	Excavate existing pavement metals to stockpile	cu m	317	15.00	\$4,754.25
5.5	Excavate to waste	cu m	589	20.00	\$11,781.00
5.6	Backfill and compact saved pavement metals	cu m	317	20.00	\$6,339.00
5.7	Supply and compact straighthaul material	cu m	424	60.00	\$25,416.00
5.8	Cement stabilise existing subgrade metals	sq.m	1,683	7.00	\$11,781.00
5.9	Supply and compact 150mm M5 basecourse material	sq.m	3,796	15.00	\$56,940.00
6	First Coat & A.C. Seal				
6.1	Preparation of surface	sq.m	3,796	0.10	\$379.60
6.2	Bitumin; Supply & place 180/200 binder	L	7,212	1.50	\$10,818.60
6.3	Supply and place grade 3 sealing chips	sq.m	3,796	1.00	\$3,796.00
6.4	Supply and place grade 5 sealing chips	sq.m	3,796	1.00	\$3,796.00
6.5	Mix 20 Asphaltic cement paving	sq.m	0	25.00	\$0.00
6.6	Extra sweeping of surplus chips	ea	1	1,000.00	\$1,000.00
7	<u>Unscheduled Items</u>				
7.1	Land Purchase (includes "The Property Group" fees)			Not included	
7.2	Street Lighting and provide private power supply.	L.S.	4	2,000.00	\$15,000.00
7.3	Roadmarking, R.P.M's & all road signs	L.S.			\$1,000.00
	(including new directional signs)				
7.4	Cost share to lower telecom cables	L.S.			\$0.00
7.5	Cost share to lower power cables	L.S.			\$50,000.00
7.6	Install LINZ Survey Standard	L.S.			\$0.00
8	Professional Services Fees	L.S.			\$44,328.59
		CONTRA	СТ ТОТА	L \$	\$339,852.54

Assumptions & Exclusions

Land purchase not included

Stormwater costs = 5.6% of total

Contingency = 20% of total

General = 5% of total PS fees = 15% of total



16-Jun-09

<u> Industrial Expansion - Stage 2</u>

Rough Order Schedule Of Quantities

Iroı	ngate - Irongate Rd upgrade , no ints	Prepared By:		K.Kiriona	
Item	Description	Unit	Quantity	Rate	Amount
1	<u>General</u>				
1.1	General	LS			\$18,000.00
1.2	Contingency	LS			\$70,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	23,600.00	\$23,600.00
3	Traffic Islands Infill				
3.1	Construct paving.	sq.m	Part of	40.00	
3.2	Supply topsoil for islands	sq.m	intersection	15.00	
3.3	Service lane median	sq.m	treatments	25.00	
4	Kerb and Channel and Footpath				
4.1	Construct non-mountable kerb and channel	m	420	40.00	\$16,800.00
4.2	Construct 2.5m Wide Concrete Footpath	sq.m	1,050	45.00	\$47,250.00
5	Pavement Works				
5.1	Remove existing kerbing.	m	0	10.00	\$0.00
5.2	Localised undercut to waste.	cu m	50	25.00	\$1,250.00
5.3	Supply & place make up metal.	cu m	50	50.00	\$2,500.00
5.4	Excavate existing pavement metals to stockpile	cu m	315	15.00	\$4,725.00
5.5	Excavate to waste	cu m	1,197	20.00	\$23,940.00
5.6	Backfill and compact saved pavement metals	cu m	315	20.00	\$6,300.00
5.7	Supply and compact straighthaul material	cu m	441	60.00	\$26,460.00
5.8	Cement stabilise imported/backfilled metals 250mm deep	sq.m	5,040	8.00	\$40,320.00
5.9	Supply and compact 150mm M5 basecourse material	sq.m	5,040	15.00	\$75,600.00
5.10	Construct grass bem/swale adjacent to carriageway		Not included		
6	First Coat & A.C. Seal				
6.1	Preparation of surface	sq.m	5,040	0.10	\$504.00
6.2	Bitumin; Supply & place 180/200 binder	L	9,576	1.50	\$14,364.00
6.3	Supply and place grade 3 sealing chips	sq.m	5,040	1.00	\$5,040.00
6.4	Supply and place grade 5 sealing chips	sq.m	5,040	1.00	\$5,040.00
6.5	Mix 20 Asphaltic cement paving	sq.m	0	30.00	\$0.00
6.6	Extra sweeping of surplus chips	ea	1	2,000.00	\$2,000.00
7	<u>Unscheduled Items</u>				
7.1	Land Purchase (includes fees)		Not included		
7.2	Street Lighting	each	12	2,000.00	\$24,000.00
7.3	Roadmarking, R.P.M's & all road signs	L.S.	1	5,000.00	\$5,000.00
	(including new directional signs)				
7.4	Service Relocation - Telecom	L.S.	1	10,000.00	\$10,000.00
7.5	Service Relocation - Power	L.S.	1	15,000.00	\$15,000.00
7.6	Install LINZ Survey Standard	L.S.	1	1,500.00	\$1,500.00
	•				
7.7	Beautification/landscaping	L.S.	1	5,000.00	\$5,000.00
8	<u>Professional Services Fees</u>	L.S.			\$67,000.00

CONTRACT TOTAL

\$

\$511,193.00

Assumptions & Exclusions

Land purchase not included

Swale construction not included

Stormwater costs = 5.6% of total

General = 5% of total

Contingency = 20% of total

PS fees = 15% of total

Assumed full reconstruction for 12m sealed width, kerb & channel & footpath one side only



16-Jun-09

<u> Industrial Expansion - Stage 1</u>

<u>Irongate - Irongate Rd upgrade , no ints</u>

Rough Order Schedule Of Quantities

0

1

Not included

8

1

1

1

1

1

CONTRACT TOTAL

sq.m

ea

each

L.S.

L.S.

L.S.

L.S.

L.S.

L.S.

30.00

2,000.00

2,000.00

2,500.00

5,000.00

10,000.00

1,500.00

5,000.00

\$

\$0.00

\$2,000.00

\$16,000.00 \$2,500.00

\$5,000.00

\$10,000.00

\$1,500.00

\$5,000.00

\$60,000.00

\$460,043.00

K.Kiriona

Item	Description	Unit	Quantity	Rate	Amount
1	<u>General</u>				
1.1	General	LS			\$18,000.00
1.2	Contingency	LS			\$70,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	21,300.00	\$21,300.00
3	Traffic Islands Infill				
3.1	Construct paving.	sq.m	Part of	40.00	
3.2	Supply topsoil for islands	sq.m	intersection	15.00	
3.3	Service lane median	sq.m	treatments	25.00	
4	Kerb and Channel and Footpath				
4.1	Construct non-mountable kerb and channel	m	280	40.00	\$11,200.00
4.2	Construct 2.5m Wide Concrete Footpath	sq.m	700	45.00	\$31,500.00
5	Pavement Works				
5.1	Remove existing kerbing.	m	0	10.00	\$0.00
5.2	Localised undercut to waste.	cu m	50	25.00	\$1,250.00
5.3	Supply & place make up metal.	cu m	50	50.00	\$2,500.00
5.4	Excavate existing pavement metals to stockpile	cu m	315	15.00	\$4,725.00
5.5	Excavate to waste	cu m	1,197	20.00	\$23,940.00
5.6	Backfill and compact saved pavement metals	cu m	315	20.00	\$6,300.00
5.7	Supply and compact straighthaul material	cu m	441	60.00	\$26,460.00
5.8	Cement stabilise imported/backfilled metals 250mm deep	sq.m	5,040	8.00	\$40,320.00
5.9	Supply and compact 150mm M5 basecourse material	sq.m	5,040	15.00	\$75,600.00
5.10	Construct grass berm/swale adjacent to carriageway		Not included		
6	First Coat & A.C. Seal				
6.1	Preparation of surface	sq.m	5,040	0.10	\$504.00
6.2	Bitumin; Supply & place 180/200 binder	L	9,576	1.50	\$14,364.00
6.3	Supply and place grade 3 sealing chips	sq.m	5,040	1.00	\$5,040.00
6.4	Supply and place grade 5 sealing chips	sq.m	5,040	1.00	\$5,040.00

Prepared

Land purchase not included

Swale construction not included

Mix 20 Asphaltic cement paving

Extra sweeping of surplus chips

Land Purchase (includes fees)

(including new directional signs)

Service Relocation - Telecom

Install LINZ Survey Standard

Service Relocation - Power

Beautification/landscaping

Professional Services Fees

Roadmarking, R.P.M's & all road signs

Unscheduled Items

Street Lighting

Stormwater costs = 5.6% of total

General = 5% of total

6.5

6.6

7.2

7.3

7.4

7.5

7.6

7.7

7 7.1

Contingency = 20% of total

PS fees = 15% of total

Assumed full reconstruction for 12m sealed width, kerb & channel & footpath one side only




	MWH
--	-----

<u>Ind</u>	<u>ustrial Expansion</u>	Rou	gh Order S	chedule Of (Quantities
Sont	ion 1 Antion 9h	Prepared		K Kirion	a
1.1.1.1.1.1.1.1	ion 1 -Option 8b	_lBv:			
Item	•	Unit	Quantity	Rate	Amount
1	General				
1.1	General	LS		50,000.00	\$50,000.00
1.2	Contingency	LS		20,000.00	\$20,000.00
2	Stormwater Pipe Works				
2.1	Construct sumps, leads and manholes	LS	1	29,000.00	\$29,000.00
2.2	Supply materials & construct culvert	LS	0	25,000.00	\$0.00
4	Kerb, Island & berm works			10.00	****
4.1	Construct non-mountable kerb and channel	m	255	40.00	\$10,200.00
4.2	Construct splitter islands-(nib & concrete infill)	each	3	7,000.00	\$21,000.00
4.3	Construct central island	LS	1	25,000.00	\$25,000.00
4.4 -	Topsoil & sow berms behind kerbs	m2	510	4.00	\$2,040.00
5	Pavement Works		50	25.00	#1 050 00
5.1	Localised undercut to waste.	cu m	50 50	25.00	\$1,250.00
5.2	Supply & place make up metal.	cu m	50 2.520	50.00	\$2,500.00
5.3 5.4	Excavate existing pavement metals to stockpile Excavate to waste	sq.m	2,520	5.00 10.00	\$12,600.00
5.5		sq.m	1,800 2,520		\$18,000.00
5.6	Backfill and compact saved pavement metals Supply and compact straighthaul material	sq.m	2,520 1,800	8.00 12.00	\$20,160.00 \$21,600.00
5.7	Cement stabilise impreed/backfilled metals, 250mm deep	sq.m			
5.8	Supply and compact 150mm M5 basecourse material	sq.m	4,680 4,680	8.00 15.00	\$37,440.00 \$70,200.00
5.9	Construct grass berm/swale adjacent to carriageway	sq.m	Not included		\$70,200.00
6	First Coat & A.C. Seal		Not included		
6.1	Preparation of surface	ea m	3,000	0.10	\$300.00
6.2	Bitumin; Supply & place 180/200 binder	sq.m L	5,700	1.50	\$8,550.00
6.3	Supply and place grade 3 sealing chips		500	1.00	\$500.00
6.4	Supply and place grade 5 sealing chips	sq.m sq.m	500 500	1.00	\$500.00
6.5	Mix 20 Asphaltic cement paving	=	2,500	30.00	\$75,000.00
6.6	Extra sweeping of surplus chips	sq.m ea	2,500 1	1,000.00	\$1,000.00
7	Unscheduled Items	ca	•	1,000.00	Ψ1,000.00
ľ	Onscheduled Items				
7.1	Land Purchase (includes fees, fencing)		Not included		
		sq.m		0.00	
7.2	Street Lighting	each	6	2,000.00	\$12,000.00
7.3	Roadmarking, R.P.M's & all road signs	L.S.	1	5,000.00	\$5,000.00
	(including new directional signs)				
7.4	Service Relocation - Telecom	L.S.	1	10,000.00	\$10,000.00
7.5	Service Relocation - Power	L.S.	1	20,000.00	\$20,000.00
7.6	Install LINZ Survey Standard	L.S.	1	2,500.00	\$2,500.00
	Beautification/landscaping				
7.7		L.S.	1	5,000.00	\$5,000.00
7.8	Supply & install guardrailing to protect power poles	L.S.	0	10,000.00	\$0.00
7.9	Culvert Extension	L.S.	1	50,000.00	\$50,000.00
7.10	Supply & install guardrailing to protect culvert	L.S.	1	10,000.00	\$10,000.00
8	Professional Services Fees	L.S.			\$81,200.00
		18181818181818181818181818181818181			
		CONTRA	ACT TOTAL	\$	\$622,540.00

Assumptions & Exclusions

Land Purchase not included
Stormwater Costs 5.6% of total
PS Fees 15% of total
Construction of swales not included



Hawke's Bay Irongate Industrial Area Modelling Report - Phase 1

Prepared by



March 2009

HAWKE'S BAY Irongate Industrial Area Modelling



<u>Prepared by</u> Matt Ellery

Transportation Analyst

Reviewed by David Hunter

Senior Transport Engineer

Approved by David Hunter

Senior Transport Engineer

Gabites Porter Consultants Ltd

Level 1, 138 Victoria Street

P O BOX 25 103

Christchurch

New Zealand

Telephone: +64 3 366 9871

Facsimile: +64 3 366 9870

Date: 16 March 2009

Reference: 4413 Status: Final

Revision: 2

CONTENTS

1.	INTRODUCTION	1
2.	ROAD NETWORKS	1
3.	EXISTING INDUSTRIAL LAND USE	4
4.	LOCAL AREA VALIDATION	6
	4.1 General	6
	4.2 Measures of Validity	6
	4.3 Screenline Validation Results	7
	4.4 Intersection Turning Movement (ITM) Validation	10
	4.5 ITM Validation Results	10
5.	MODELLING RESULTS	14
Tab	bles	
1.	Irongate Existing Land Use	4
2.	Model Traffic Flow Validation Guidelines	7
3.	Irongate Network Validation	9
4.	Intersection Turning Movement Validation Results	10
Figu	jures	
1.	Hawke's Bay Base Road Network	2
2.	Hawke's Bay Future Road Network	3
3.	TRACKS zones distribution for Irongate	5
4.	Irongate Screenline Locations	8
5.	ITM Validation Morning Peak Period	11
6.	ITM Validation Shopping Peak Period	12
7.	ITM Validation Evening Peak Period	13

APPENDICES

Appendix 1 Screenline Validation: Cordon Outputs

Appendix 2 ITM Validation: Turnon Outputs

Appendix 3 2009 Validated Base Model: Existing Irongate LU Only

- 1. 2009 AM Peak Validated Base Traffic Volumes
- 2. 2009 SH Peak Validated Base Traffic Volumes
- 3. 2009 PM Peak Validated Base Traffic Volumes
- 4. 2009 AM Peak Validated Base Level of Service
- 5. 2009 SH Peak Validated Base Level of Service
- 6. 2009 PM Peak Validated Base Level of Service

Appendix 4 2016 Base Model: Existing Irongate LU Only

- 1. 2016 AM Peak Base Traffic Volumes
- 2. 2016 SH Peak Base Traffic Volumes
- 3. 2016 PM Peak Base Traffic Volumes
- 4. 2016 AM Peak Base Level of Service
- 5. 2016 SH Peak Base Level of Service
- 6. 2016 PM Peak Base Level of Service

Appendix 5 2016 Future Model: Existing Irongate LU Only

- 1. 2016 AM Peak With 5-leg RAB Traffic Volumes
- 2. 2016 AM Peak With 5-leg RAB Traffic Volumes Change to Base
- 3. 2016 SH Peak With 5-leg RAB Traffic Volumes
- 4. 2016 SH Peak With 5-leg RAB Traffic Volumes Change to Base
- 5. 2016 PM Peak With 5-leg RAB Traffic Volumes
- 6. 2016 PM Peak With 5-leg RAB Traffic Volumes Change to Base
- 7. 2016 AM Peak With 5-leg RAB Level of Service
- 8. 2016 SH Peak With 5-leg RAB Level of Service
- 9. 2016 PM Peak With 5-leg RAB Level of Service

1. INTRODUCTION

This report has been commissioned by MWHNZ Ltd on behalf of Hastings District Council and is intended to show the baseline traffic flows in the vicinity of the Irongate Industrial area in 2009 and 2016.

This report supersedes previous Irongate Industrial area reports provided by Gabites Porter Consultants which did not include existing land use on and adjacent to Irongate Road. The existing Irongate area land use has been incorporated into the modelling so as to more accurately represent current traffic flows.


The content of this report begins with local area validation around the Irongate area in a 2009 model. All changes made to the land use, zone system and road network during the validation process will be included in all other following models.


2. ROAD NETWORKS

The base road network used in the modelling is shown in **Figure 1** and the future road network with expressway extension is shown in **Figure 2**.

In the base network, Irongate Road is connected to Maraekakaho Road with a priority give way and there is a 4-leg roundabout at the Maraekakaho Road/Longlands Road/Paki Paki Road intersection.

In the future road network, the southern expressway extension has no connection to Irongate Road. Connection of the expressway extension to the Maraekakaho Road/Longlands Road/Paki Paki Road intersection, coloured orange, will be as a 5-leg roundabout. Irongate Road is straightened where it connects to Maraekakaho Road with a double approach give-way.






3. EXISTING INDUSTRIAL LAND USE

Industrial land use at Omahu and Tomoana has not been adjusted from previous analyses. Irongate Road industrial area existing/current land use has been determined from aerial photographs and survey responses from the local businesses.

The zone system used for the modelling is shown in **Figure 3**. The boundaries and descriptions of each area were provided by MWH and are to be considered as existing land use.

The total number of jobs in the Irongate area was determined by counting the number of cars parked at each business as evident in aerial photographs. In addition, the three largest businesses were contacted and asked how many workers they employed. The job total for each business area was then divided into the seven job categories in the model by using the same proportional split as in other industrial areas in the model, namely the Port, Ahuriri, Onekawa, Omahu, Pandora, Tomoana, Whakatu and Awatoto. These job numbers were subsequently refined during the local area validation process, described in the next section, and are shown in **Table 1**.

		lro	ongate I	Existing I	Land Us	е				Table 1
Zone	Size	Level of				Job	Туре			_
20110	(Ha)	Use	AGR	MAN	WHO	RET	OFF	EDU	COW	TOT
152	3.7	Light	0	2	0	0	1	0	1	5
152	6.2	Light	0	4	1	1	2	0	1	12
156	2.7	Light	0	2	1	0	1	0	1	7
159	0.83	Light	0	12	10	2	8	1	4	46
160	7.9	Heavy	0	54	10	6	10	1	11	115
173	9.8	Heavy	1	56	11	7	11	1	12	120
174	7.5	Light	0	14	14	2	12	1	4	56
178	0.6	Light	0	1	0	0	1	0	0	4
Total	39.23		2	147	48	18	45	4	34	365



4. LOCAL AREA VALIDATION

4.1 General

A local area validation was carried out on the 2009 model to refine the model and replicate actual traffic flows as closely as practicable. 2009 intersection turning movements and all day traffic volumes from the past 10 years were supplied by MWH by which to compare to. These were then used to calculate actual traffic flows into and out of the intersections that will be used as spot counts and are shown in **Figure 4**.

4.2 Measures of Validity

Flow comparisons are tested using a number of statistical measures. Traffic counts were grouped into screenlines, and the following measures calculated.

- Comparisons of individual links;
- Comparisons of total trips over each screenline;
- Percentage difference; and statistical measures such as
- Correlation coefficient;
- % Root mean square, and
- GEH.

The correlation coefficient is a first order measure of the co-relation, using the formula:

$$P_{x,y} = \frac{\sum\limits_{i=1}^{n} (x_i - x_i) (y_i - y_i)}{\sigma_x \sigma_y}$$

The GEH is a form of the Chi-squared statistic that incorporates both relative and absolute errors. It is designed to be more tolerant of the large percentage differences in lower flows. The form of the statistic is:

$$GEH = \sqrt{\frac{2(m-o)^2}{m+o}}$$

Where m is the modelled flow and o is the observed count.

The validation criteria used for this model were the Land Transport NZ Project Evaluation Manual (PEM) guidelines.

The consultants have relied on the PEM criteria to provide guidance in the validation of the model but have also indicated the model's level of validation to the UK criteria provided by the UK Design Manual for Roads and Bridges – Traffic Appraisal in Urban Areas Assignment Validation Acceptability Guidelines.

The Land Transport NZ Project Evaluation Manual (PEM) guidelines for overall validation are summarised in **Table 2**. The PEM looks for major link volumes (i.e. those carrying more than 30,000 VPD) to be within 20% of observed values and that the error tolerance for links with lower volumes is greater. As a matter of principle, screenline and individual count validation for this study should not exceed the guidelines expressed in the PEM.

Model Traffic Flo	ow Validatio	on Guideline	s	Table 2						
Screenline Totals										
Traffic Flow		± 1	0%							
Camalatian Caaffiniant		>0.85 g	enerally							
Correlation Coefficient	>0.95 preferred									
GEH	<4 in most instances									
GEH on Counts	<5	<12								
(modified for 1 hr flows only)	60%	80%	95%	100%						
Total Counts										
% RMS		<30 ge	enerally							

The UK Design Manual criteria are described as follows for greater than 85% of links:


- 1. For flows <700 Vehicles per hour = \pm 100 Vehicles per hour
- 2. For flows 700-2700 Vehicles per hour = \pm 15%
- 3. For flows >2700 Vehicles per hour = \pm 400 Vehicles per hour
- 4. GEH <5

4.3 Screenline Validation Results

Based on the PEM model fitness guidelines in **Table 2**, this report is convinced that the modelled traffic flows closely replicate actual counts for all designated screenlines during the morning, shopping and evening peak periods.

The validation statistics for each cordon are summarised in **Table 3** for the morning, shopping and evening peak periods.

CORDON, as part of the TRACKS suite, was used to execute the screenline validation process. The output files produced by CORDON is attached as **Appendix 1**.



Irongate Network Valid	dation			Table 3
Morning Peak Period				
Count		332	<u>.</u> O	
Volume		332	2	
Change		2		
%		100)	
Correlation Coefficient		0.99	9	
%RMS		4.9	0	
GEH Total		0.0)	
GEH Link Grouping	<5	<7	<10	<12
% in GEH Group	100	100	100	100
Shopping Peak Period				
Count		298	7	
Volume		288	9	
Change		-98	3	
%		97		
Correlation Coefficient		0.99	7	
%RMS		5.5	6	
GEH Total		1.8	3	
GEH Link Grouping	<5	<7	<10	<12
% in GEH Group	100	100	100	100
Evening Peak Period				
Count		317	'3	
Volume		334	-2	
Change		169	9	
%		103	5	
Correlation Coefficient		0.97	78	
%RMS		13.9	² 5	
GEH Total		3.0)	
GEH Link Grouping	<5	<7	<10	<12
% in GEH Group	80	100	100	100
UK Criteria				
For flows $<$ 700 vph = \pm 100 vph		100	%	
For flows 700-2700 $vph = \pm 15\%$		83%	%	
For flows >2700 vph = \pm 400 vph		N/A	4	
GEH <5		93%	% <u> </u>	

4.4 Intersection Turning Movement (ITM) Validation

Gabites Porter has been supplied with actual traffic flow data on 2 intersections along Maraekakaho Road;

- Maraekakaho Rd / Irongate Rd (Mk/Ir)
- Maraekakaho Rd / York Rd (Mk/Yk)

As with the screenline validation process, validating the intersection turning movements is usually done with two statistical measures, the correlation coefficient (>0.8) and % RMS (<30). It is sometimes required that the turning movements are generally within $\pm 10\%$ or 30 vehicles for very tight validation, otherwise $\pm 30\%$ or 30 vehicles is considered an acceptable level of tolerance.


4.5 ITM Validation Results


Table 4 shows the synthesis of all turning movement data for morning, shopping and evening peak periods of the day. Refer to **Appendix 2** for the output files for the intersection turning movement validation process.


	Interse	ction Tu	rning M	ovement	Validatio	on Resul	ts	Te	able 4
		<u> </u>	¢d š		Co	rrelatior	Coeffic	ient	
	Statistics	Total Observed Movements	Total Modelled Movements	%age of Observed	Turning Movement	Inbound Links	Outbound Links	2-Way Links	Turning Movement %RMS
	Mk/lr	734	692	-5.7%	0.999	0.999	0.999	0.999	7.477
	Mk/Yk	1255	1301	3.7%	0.993	1.000	1.000	1.000	10.172
SP	Mk/lr	723	710	-1.8%	0.999	1.000	1.000	1.000	5.238
S	Mk/Yk	1100	1077	-2.1%	0.997	0.999	0.998	0.999	6.429
PM	Mk/lr	722	720	-0.3%	0.998	1.000	0.999	0.999	9.141
A P	Mk/Yk	1211	1297	7.1%	0.988	0.996	0.993	0.998	14.302

For each of AMP, SHP and PMP, of the 36 turning movements assessed 7 movements were outside the $\pm 10\%$ or 30 vehicle criteria, with 4 of these only marginally outside, and only 2 movements outside the $\pm 30\%$ or 30 vehicle criteria. This shows general meeting of this criteria and is therefore considered acceptable.

Turning movement validation plots for each intersection are shown in **Figure 5** to **Figure 7**.







5. MODELLING RESULTS

Outputs for traffic volumes and levels of service (LOS) can be seen in **Appendix 3** through **Appendix 5**.

Appendix 3 contains the 2009 validated base network (existing Irongate land use only) volume plots in **App 3 – 1** through **App 3 – 3** and levels of service in **App 3 – 4** through **App 3 – 6**.

Appendix 4 has the 2016 base network (existing Irongate land use only) volume plots in App 4 – 1 through App 4 – 3 and levels of service plots in App 4 – 4 through App 4 - 6.

Appendix 5 has the 2016 future network (existing Irongate land use only) with expressway extension and 5-leg roundabout volume plots in **App 5 - 1** through **App 5 - 6** and levels of service plots in **App 5 - 7** through **App 5 - 9**.

REFERENCES

Akcelik Akcelik, R., Travel Time Functions for Transportation Planning

Purposes. Australian Road Research, 21(3), September 1991.

Akcelik Akcelik, R., The Highway Capacity Manual Formula for Signalised

Intersections. ITE Journal, March 1988, Vol. 58, No. 3.

Fisk, C.S., Link Travel Time Functions for Traffic Assignment.

Department of Civil Engineering, University of Auckland.

Fisk, C.S., and Tan H.H., Delay Analysis for Priority Intersections.

Department of Civil Engineering, University of Auckland, 1989.

Gabites Porter Performance Analysis of Priority Intersections - A Practitioner's

Guide, September 1991

Gabites Porter Hawkes Bay Irongate Industrial Area Modelling Report, January

2009

Land Transport NZ Project Evaluation Manual, October 2005.



APPENDIX 1

Screenline Validation: Cordon Outputs

MOLINING FEAK FELLOG	TRACKS TRACKS TRACKS TRACKS	TRACKS TRACKS	į Ľ.
	TRACKS	CORL V7. 06-Mar- 09:18: Win 95/	S TRACKS
	+	CKS Licenced to	
	+Build Date Parameter V	Build Date : 30/04/08 01:30 Parameter version : V5.20	:30 :30
Network Period Factor: 1.000			
Cordon Period Factor: 1.000			
GEH Period Factor: 1.000			
CSV Output File :			
Cordon Data File : IRONAM.EXDHAWKES BAY Loaded Network : HM09NL.EXD NAPIE 4756 Links in network	REGIONAL R ROADING	TRAFFIC STUDY - 20 STUDY 2009 AMP AL:	. 2009 ALL VEHS
Cordon Number: 1 Description: 1 IRONGATE SCREENLINE (NB/EB	ENLINE (NB/EB FIRST)		

Number of links = 5 Number of forward links = 5 Number of back links

TOTALS

BACK

FORWARD

TOTALS

596. 607. 11.

1724. 1715. -9.

COUNT VOLUME CHANGE

I IRONGATE)
7 IRONGATE/YORK)
1 YORK)

MARAEKAKAHO RD (STH I MARAEKAKAHO RD (BTW I MARAEKAKAHO RD (NTH Y IRONGATE RD

96.6 99.8 101.8 68.6 105.2

> 1053 83 895

1034. 121. 851.

99.2 100.0 101.7 66.1 107.3

632 659

654. 660.

GEH

90

CHANGE

TOTAL ' VOLUME

COUNT

CHANGE

BACK VOLUME

COUNT

CHANGE

COUNT

NODE1 NODE2

FORWARD VOLUME

363.

93.6

102.0 70.8 103.7

276 296 571 46 526

3032 4088 4089 3032 4088

1580 1630 4088 1581

560. 65. 507.

295.

Appendix 1 - Page 1

												1E CHANGE % GEH	16 -16. 97.6 .6 MARAEKAKAHO RD (STH IRONGATE)
999. 09.4 799. 0.	>12 0 .0	1y	+	TRACKS TRACKS TRACKS TRACKS TRACKS TR TRACKS +	Build Date: 30/04/08 01:30 Parameter version: V5.20	00	00	00		IRONSH.EXDHAWKES BAY REGIONAL TRAFFIC STUDY HS09NL.EXD NAPIER ROADING STUDY 2009 SHOPPING ALL V 756 Links in network	SCREENLINE (NB/EB FIRST)	BACK TOTAL CHANGE % COUNT VOLUME	-17. 94.7 339. 340 1.100.3 662. 646
CORREL999 .997 COEFF999 .997 r^2 .998 .995 GEH .2 .3	GEH <5 <7 <10 <12 # 5 5 5 5 5 8 100.0 100.0 100.0 100.0	CORDON terminated successfully	Shopping Peak Period	ITS-Transportation Planning and Trafi	fic En	Network Period Factor: 1.000	Gordon Period Factor: 1.000	GEH Period Factor: 1.000	CSV Output File :	Cordon Data File : Loaded Network :	Cordon Number: 1 Description: 1 IRONGATE SC	FORWARD NODE1 NODE2 COUNT VOLUME	1580 3032 323. 306

.5 MARAEKAKAHO RD (BTW IRONGATE/YORK) 2.2 MARAEKAKAHO RD (NTH YORK) .5 IRONGATE RD .0 YORK RD														
98.0 92.7 99.3														
-13. -63. -5.														
647 800 83 713	2													
660. 863. 88. 714.	II													
98.6 90.5 76.0 96.4	5 Number of back links													
-43. -112. -13.	r of b													
340 410 38 350	5 Numbe													
345. 453. 363.	ıks =													
97.5 95.1 118.4 103.4	5 Number of forward links													
-8. -20. 7. 1 12. 1	f forw	TOTALS	2987.		. 76		766.	5.56	.995	₽.	2	0	0	
307 390 45 363	mber o	Ė										5 0		
	5 Nu	BACK	1550.	-72.	95.		.994	7.54	.989	1.9	0 <1	10	100.	
315. 410. 38.		RD					9.	2	2	7	\ \1(100.	
4088 4089 3032 4088	links	FORWARD	1437.	-26	36		56.	 	. 992	•	\ \ -	(ك	100.0 100.0 100.0 100.0	
1630 4 4088 4 1581 3 1616 4	Number of links	TOTALS	COUNT	HANGE	ф	RREL.	OEFF.	RMS	r^2	GEH	GEH <5	# 2	% 100.C	
	Nu	Ė	υÞ	> ೮		000	Ü	ф						

CORDON terminated successfully

Evening Peak Period +

Program : CORDON Version : V7.08 Date run : 06-Mar-09 Time run : 09:29:30 Platform : Win 95/NT		RACKS TRA	CKS TRACKS	TR	TRACKS TRACKS TRACKS TRACKS TRACKS TRACKS TR	TRACKS TR
Program : CORDON Version : V7.08 Date run : 06-Mar-09 Time run : 09:29:30 Platform : Win 95/NT TRACKS TRACKS TRACKS TRACK	_ _ _	TRACKS T				S TRACKS
Version : V7.08 Date run : 06-Mar-09 Time run : 09:29:30 Platform : Win 95/NT	_ KS	TRACK	Program		CORDON	KS TRACK
Date run : 06-Mar-09 Time run : 09:29:30 Platform : Win 95/NT	- CF	S TRACI	Version		V7.08	CKS TRAC
RACKS TR Date run : 06-Mar-09 RACKS TR	- AC	KS TRA				ACKS TRA
TRACKS T Time run : 09:29:30 TRACKS T TRACKS Platform : Win 95/NT TRACKS S TRACKS+S TRACKS	RF	CKS TR	Date run		06-Mar-09	RACKS TR
TRACKS Platform : Win 95/NT TRACKS S TRACKS+	TF	ACKS TI	Time run		09:29:30	TRACKS T
S TRACKS++S TRACKS S TRACKS TR	_ _	RACKS	Platform		Win 95/NT	TRACKS
KS TRACKS TRACKS TRACKS TRACKS TRACKS	_ \S	TRACKS+-		ļ		-+S TRACKS
	_ KS	TRACKS	TRACKS TRAC	CKS	TRACKS TRAC	CKS TRACKS
	_		TRACKS Li	icer	aced to	
TRACKS Licenced to	_	abites P	orter			
TRACKS Licenced to Gabites Porter	_	at		tchi	Christchurch, N.Z.	

Build Date : 30/04/08 01:30 Parameter version : V5.20

Network Period Factor: 1.000

Cordon Period Factor: 1.000

GEH Period Factor : 1.

CSV Output File :

: IRONPM.EXDHawkes Bay Evening Peak Model - 4-6pm - 2009 Landuse : HE09NL.EXD NAPIER ROADING STUDY 2009 PMP ALL VEHS 4756 Links in network Cordon Data File Loaded Network

Cordon Number : 1 Description : 1 IRONGATE SCREENLINE (NB/EB FIRST)

		MARAEKAKAHO RD	MARAEKAKAHO RD (BTW IRONGATE/YORK)	MARAEKAKAHO RD (NTH YORK)	IRONGATE RD	YORK RD														
	GEH	ο.	1.1	5.4	1.7	1.2														
	96	7.96	95.8	119.2	118.8	104.1														
	CHANGE	-22.	-29.	169.	16.	35.														
TOTAL	COUNT VOLUME	645	664	1048	101	884	D.													
ĭ	COUNT	. 199	693.	879.	85.	849.	ks =													
	ol6			123.3	92.1	104.0	Number of back links													
	CHANGE	-16.	%	103.	ღ	18.	er of k													
BACK	VOLUME	322	327	545	32	468	5 Numb													
щ	COUNT	338.	332.	442.	38.	450.	nks =													
	96	98.2	94.1	.15.1	140.4	104.3	ward li													
	CHANGE		-21.		19.	17. 1	5 Number of forward links	TOTALS	3173.	3342.	169.	105.		.978	13.95	.957	3.0	>12	0	0.
FORWARD	VOLUME	323	337	503	99	416	5 Numbe	BACK	.603	1697.	94.	106.		.975	6.55	.951	2.3	<12	5	100.0
	COUNT	329.	358.	437.	47.	399.	ll M											7 <10		100
	VODE2	3032	4088	4089	3032	4088)f link:	FORWARD		1645.		10,		ő.	11.	096.	1	<5 <7		0 100.
	NODE1 NODE2	1580	1630	4088	1581	1616	Number of links	TOTALS	COUNT	VOLUME	CHANGE	dρ	CORREL.	COEFE.	%RMS	r^2	GEH	GEH <5	· *##	& 80°

CORDON terminated successfully

APPENDIX 2 ITM Validation: Turnon Outputs

Morning Peak Period

	Gabites Porte Christchurch, N.Z
	+ TRACKS TRACKS TRACKS TRACKS TRACKS TR TRACKS +
	+
Loaded Network : HM091	Parameter version: V5.20
Intersection Number : 1 Description : IROI Number of incoming links : 3 Count Factor : : Volume Factor : : 032 1580 1612	1.0000 1.0000 1581
Correlation Coefficient:	
% RMS : 7	
Node In Count Volume %Change	Out e Count Volume %Change
1580-3032 295 275 93.2 1612-3032 374 372 99.5 1581-3032 65 45 69.2	359 355 98.9
In Correlation Coefficient :	n Out Both .999 .999 .999
Intersection Number : 2 Description : YORN Number of incoming links : 3 Count Factor : :	
088 1630 4089	
630 0 0 168 204 3 089 236 203 0 0 3 616 115 159 392 366	106 91 Maraekakaho rd sth 238 278 Maraekakaho rd nth
	.993 .172
Correlation Coefficient : % RMS : 10	
Node In	Out
	Out e Count Volume %Change +

TURNON terminated successfully

```
Shopping Peak Period
| TRACKS - 06-Mar-09 @ 09:22:46
                                                                            Gabites Porter |
                                                                         Christchurch, N.Z. |
                                | TRACKS TRACKS TRACKS TRACKS TRACKS TR |
                                   TRACKS +----+ TRACKS
                                | S TRACKS | | S TRACKS | | S TRACKS | | KS TRACK | Program : TURNON | KS TRACK | | CKS TRAC | Version : V7.01 | CKS TRAC | | ACKS TRA |
                                | RACKS TR| Date run: 06-Mar-09 | RACKS TR | TRACKS T| Time run: 09:22:46 | TRACKS T |
                                | TRACKS | Platform : Win 95/NT | TRACKS |
                                | S TRACKS+----+S TRACKS |
                                | KS TRACKS TRACKS TRACKS TRACKS TRACKS |
                                +----+
                                             TRACKS Licenced to
                                | Gabites Porter
                                    at : Christchurch, N.Z.
                                           Build Date : 30/04/08 01:30
                                           Parameter version : V5.20
          Loaded Network : HS09NL.EXD
Intersection Number : 1
Description : IRONGATE RD AND MARAEKAKAHO RD Number of incoming links : 3
                               1.0000
1.0000
Count Factor : Volume Factor :
```

1580 I 1612

3032	-	TS	08U	Τ	ρ12	Τ;	201	
	+-		+-		+		+	
1580		0	0	309	300	14	6 MARAEKAKAHO RD ST	Ή
1612		326	328	0	0	36	31 MARAEKAKAHO RD NT	Ή
1581		13	12	25	33	0	0 IRONGATE RD	

Correlation Coefficient: .999 % RMS: 5.238

Node	In				Out				
	Count	Volume	%Change	С	ount	Volume	%Change		
	+			-+-				-+	
1580-3032	323	306	94.7	- 1	339	340	100.3	- 1	
1612-3032	362	359	99.2	- 1	334	333	99.7	- 1	
1581-3032	38	45	118.4		50	37	74.0	- 1	

Intersection Number : 2
Description : YORK RD AND MARAEKAKAHO RD

Number of incoming links: 3

Count Factor : Volume Factor : 1.0000 1.0000

4088			4089		1616			
·		•			· ·	MARAEKAKAHO		STH
4089	200 1	86 0	0	253	223	MARAEKAKAHO	RD	NTH
1616	127 1	53 224	209	0	0	YORK RD		

Correlation Coefficient : .997 % RMS : 6.429

Node	In			Out				
			%Change				_	
	+			-+-				-+
1630-4088	296	306	103.4	- 1	327	339	103.7	
4089-4088	453	409	90.3	- 1	410	389	94.9	- 1
1616-4088	351	362	103.1		363	349	96.1	-

In Out Both Correlation Coefficient: .999 .998 .999

TURNON terminated successfully

Evening Peak Period

| TRACKS - 06-Mar-09 @ 09:29:30 Gabites Porter | Christchurch, N.Z. |

> | TRACKS TRACKS TRACKS TRACKS TRACKS TR TRACKS +----+ TRACKS | TRACKS TRACKS | IS TRACKS | IS TRACKS | KS TRACK | Program : TURNON | KS TRACK | CKS TRAC | V7.01 | CKS TRAC | V7.01 | CKS TRAC | V6.05 | V7.05 | V7 |ACKS TRA | ACKS TRA| | RACKS TR| Date run: 06-Mar-09 | RACKS TR | TRACKS T| Time run: 09:29:30 | TRACKS T | | TRACKS | Platform: Win 95/NT | TRACKS | | S TRACKS+----+S TRACKS | KS TRACKS TRACKS TRACKS TRACKS TRACKS | +----+ TRACKS Licenced to Gabites Porter at : Christchurch, N.Z.

Build Date : 30/04/08 01:30 Parameter version: V5.20

Loaded Network : HE09NL.EXD

Intersection Number : 1

Description IRONGATE RD AND MARAEKAKAHO RD

Number of incoming links: 3

1.0000 Count Factor : Volume Factor 1.0000

1580 | 1612 | 1581 -+----1580 | 0 0 | 313 316 | 16 6 | MARAEKAKAHO RD STH 1612 | 324 306 | 0 0 | 22 28 | MARAEKAKAHO RD NTH 1581 | 14 15 | 33 49 | 0 0 | IRONGATE RD

Correlation Coefficient : .998 % RMS : 9.141

Node In Count Volume %Change Count Volume %Change ______
 1580-3032|
 329
 322
 97.9
 | 338
 321
 95.0
 | 1612-3032|
 346
 334
 96.5
 | 346
 365
 105.5
 | 1581-3032|
 47
 64
 136.2
 | 38
 34
 89.5
 |

In Out Both Correlation Coefficient: 1.000 .999 .99

Intersection Number : 2
Description : YORK RD AND MARAEKAKAHO RD

Number of incoming links : 3

Count Factor :
Volume Factor : 1.0000

1630 | 4089 | 1616 | 1630 | 0 0 | 191 217 | 179 120 | MARAEKAKAHO RD STH 4089 | 171 197 | 0 0 | 271 347 | MARAEKAKAHO RD NTH 1616 | 153 130 246 286 | 0 0 | YORK RD


Correlation Coefficient : .988 % RMS : 14.302


In Count Volume %Change Count Volume %Change ---+----+ 1630-4088| 370 337 91.1 | 324 327 100.9 | 4089-4088| 442 544 123.1 | 437 503 115.1 | 1616-4088| 399 416 104.3 | 450 467 103.8 |


In Out Both Correlation Coefficient: .996 .993 .998

TURNON terminated successfully


APPENDIX 3



















APPENDIX 4














APPENDIX 5

